

RESOLUTION NO. 9 - 2017

Offered by All of Council

A RESOLUTION AUTHORIZING THE PURCHASE OF ONE (1) DODGE 5500 4x2 CHASSIS CAB WITH 47' AERIAL UNIT AND ACCESSIONS FROM UTILITY TRUCK COMPANY THROUGH THE STATE OF OHIO, DEPARTMENT OF ADMINISTRATIVE SERVICES COOPERATIVE PURCHASING PROGRAM, WAIVING COMPETITIVE BIDDING, AND DECLARING AN EMERGENCY

WHEREAS, the Village of Richfield is a member of the State of Ohio, Department of Administrative Services Cooperative Purchasing Program; and

~~WHEREAS, the Village wishes to contract to purchase one (1) new Dodge 5500 4x2 Chassis Cab with 47' aerial unit and accessories, as a replacement for a 1999 3500HD and bucket, under the State of Ohio, Department of Administrative Services Cooperative Purchasing Program from Utility Truck Equipment, 23892 U.S. 23 South, Circleville, Ohio 43113; and~~

WHEREAS, this purchase was approved as a part of the 2017 capital improvement budget.

NOW, THEREFORE, BE IT RESOLVED by the Council of the Village of Richfield, Summit County, State of Ohio:

SECTION 1. That the Mayor and the Finance Director be, and hereby are, authorized and directed to purchase one (1) new Dodge 5500 4x2 Chassis Cab with 47' aerial unit and accessories from Utility Truck Equipment, 23892 U.S. 23 South, Circleville, Ohio 43113, for a total amount not to exceed \$142,465.00, under the State of Ohio, Department of Administrative Services Cooperative Purchasing Program, as set forth in the proposal attached hereto as "Exhibit A" and incorporated fully herein by reference.


SECTION 2. That because this purchase is made under the State of Ohio, Department of Administrative Services State Purchasing Program, this Council waives the requirement for competitive bidding pursuant to Section 141.03(f) of the Richfield Codified Ordinances.

SECTION 3. It is found and determined that all formal actions of this Council concerning and relating to the adoption of this Resolution were adopted in an open meeting of this Council, and that all deliberations of this Council and of any of its committees that resulted in such formal action, were in meetings including Section 121.22 of the Ohio Revised Code.


SECTION 4. This Resolution is hereby declared to be an emergency measure necessary for the immediate preservation of the public health, safety, and welfare and for the further reason that it is necessary in order to facilitate the acquisition of a replacement vehicle at the earliest possible time because the existing truck is a

1999 3500HD truck and bucket with 57,445 road miles and many work hours; wherefore, provided this Resolution receives the affirmative vote of two-thirds of the members of Council elected or appointed, it shall take effect immediately upon passage and execution by the Mayor; otherwise, it shall take effect and be in force from and after the earliest period allowed by law.

PASSED: 2/21/17




President of Council



Mayor

Dated: 2/21/17

ATTEST:



Clerk of Council



UTILITY TRUCK EQUIPMENT, INC.
 23893 U.S. 23 SOUTH
 P.O. BOX 130
 CIRCLEVILLE OH 43113

Telephone 740-474-5151

Fax 740-474-4402

47' AERIAL UNIT

AERIAL TOWER AND ACCESSORIES

Versalift model VST-47-I insulated aerial tower with a maximum working height of 52', and a maximum horizontal side reach of 31'. Includes the following features and accessories:

- 24" x 30" x 42" enclosed fiberglass platform with cover.
- Full pressure platform mounted 3-function single handle control.
- Full pressure individual lower controls, with upper control override.
- Hydraulic platform leveling system with upper and lower tilt controls.
- 180 degree hydraulic platform rotator system with platform mounted control.
- Combination articulating/telescoping boom assembly.
- Upper fiberglass telescoping boom with outer boom insert.
- Articulating lower boom with fiberglass insert.
- ANSI category "C" insulation rating for 46KV and below.
- 360 degree continuous rotation.
- Center mount pedestal ahead of rear axle, with booms stowed to the rear.
- Four (4) hydraulic outriggers with integral full length subframe.
- Outrigger / boom interlock system.
- 17 gallon integral oil reservoir located in pedestal.
- 6 GPM open center hydraulic system.
- Engine driven clutch pump assembly with brake interlock.
- One (1) set of hydraulic tool outlets located at platform with pressure limit.
- Remote engine stop/start system with upper and lower controls.
- 2-speed engine throttle system with upper, lower, and curbside rear controls.
- 12 volt emergency power system with upper and lower controls.
- Upper boom storage cradle with ratchet type tie down strap.
- Tubular rubber platform support.
- Safety harness and lanyard.
- Two (2) operator/service manuals.
- Finish paint standard white urethane.
- ANSI A92.2 data plate.
- Inclinometer installed each side on rear of body.
- Complete installation and testing of aerial tower and accessories.



AERIAL SERVICE BODY

Fiberglass service body, 124" long, 94" wide, with 18" deep side compartments. Includes the following features and accessories:

- Heavy duty 6" steel body understructure.
- Body modification for installation of aerial tower and subframe.
- Stainless steel hinges and recessed two stage paddle latches.
- Steel treadplate cargo area floor.
- Door holders on all side compartment doors.
- Automotive bulb type rubber door seals on all body doors.
- Deluxe interior package with material trays and hooks.
- Curbside #1 access opening with steps to cargo area.
- 30" full width steel treadplate rear tailshelf.
- Removable 6" rear tailboard.
- ICC rear bumper with gripstrut step each side.
- Grab rail installed at curbside rear.
- Four (4) composite outrigger pads and holders.
- Two (2) rubber wheel chocks and holders.
- Combination ball / pintle hook assembly. (DELETE)
- Fire extinguisher, first aid kit, and triangle reflector kit.
- Standard LED lighting package.
- LED rope lighting in each compartment with dash switch.
- Four (4) light amber strobe system, including two (2) Hella amber strobes at front of body, and two (2) 417SA amber strobe type flashers in tailshelf.
- Lighted master switch on dash.
- Electric back up alarm.
- Rear trailer receptacle. (DELETE)
- Rear mud flaps.
- Standard white gelcoat finish on sideboxes.
- Left rear chassis spring build up as required.
- Complete installation of body and accessories.

STANDARD UNIT PRICE.....\$93,799.00.

CONTRACT DISCOUNT.....(\$7504.00).

TOTAL F.O.B. DESTINATION.....\$86,295.00



OCTOBER 2016

CURBSIDE COMPARTMENTATION

First Vertical – Five (5) locking swivel material hooks, 1-3-1.

6" high recycled plastic board installed at floor level at access opening to close off cargo area.

Second Vertical - Two (2) adjustable shelves with adjustable dividers.

Third Horizontal - Two (2) full length divider shelves, one (1) in center and one on bottom of compartment, each with twelve (12) adjustable dividers.

Fourth Vertical – Gripstrut access steps to cargo area, with a 1" opening between the back of each step and riser panel to allow mud and ice to fall through. Includes a grab handle on the rear of the # 3 compartment. Ship steps and mounting brackets loose for UTE installation.

STREETSIDE COMPARTMENTATION

Full length storage shelf with rear drop down access door

First Vertical – Two (2) adjustable shelves with adjustable dividers.

Second Vertical - Two (2) adjustable shelves with adjustable dividers.

Third Horizontal - One (1) full length divider shelf, on bottom of compartment, with twelve (12) adjustable dividers.

Fourth Vertical - Two (2) adjustable shelves with adjustable dividers.



OCTOBER 2016

STANDARD UNIT OPTIONS

<u>OPTION #</u>	<u>PRICE EACH</u>
1) 4-function single handle upper control in lieu of 3-function.	\$720.00
2) Heavy duty hydraulic platform rotator and support.	\$845.00
3) Hydraulic platform elevator with HD rotator (reduces platform capacity by 100 lbs. – not available in all configurations).	\$3480.00
4) 50.KV. 24" x 30" platform liner.	\$530.00
5) 24" x 30" walk-in platform with <u>R.H. door.</u>	\$410.00
6) 24" x 42" enclosed platform with cover and dual supports.	\$705.00
7) 50KV 24" x 42" platform liner.	\$575.00
8) 36" x 60" walk-in aluminum platform.	\$5310.00
9) Jib and winch preparation package only for use with existing customer furnished top mount Versalift winch with hydraulic jib.	\$1715.00
10) Top mount material handling winch and <u>manual</u> jib package.	\$3580.00
11) Top mount material handling winch and <u>hydraulic</u> jib package.	\$5950.00
12) Top mount material handling winch and <u>dual arm</u> hyd. jib package.	\$6550.00
13) VST-50-TN non-insulated 50' unit. Includes steel 2-man top mount 180 degree rotating platform, 500# capacity. DEDUCT (\$2350.00)	
14) 200# jib/winch package for VST50TN (OPTION #13 ONLY).	\$3070.00
15) VST-47-SI unit with identical equipment to base unit, including 90 degree rotating side hung platform and side hung hydraulic winch and jib.	\$6535.00
16) Auto boom latch for mounting on outer boom Electroguard.	\$1440.00
17) Hydraulic tool outlets at curbside rear of tailshelf.	\$850.00
18) Standard non-metallic colors other than white. includes matching color on tower and body.	\$1350.00
19) Winch and jib storage post in cargo area.	\$340.00
20) Ziebart rustproof chassis cab and body understructure.	\$700.00
21) 132" long body in lieu of 124", with front outriggers through front verticals, #2 access, and similar compartmentation.	\$1075.00
22) Aluminum understructure with aluminum treadplate cargo floor.	\$1150.00
23) Aluminum treadplate cargo wall liners and compartment tops.	\$995.00
24) 12" wide through tunnel under tailshelf, door each side.	\$625.00
25) Through shelf from horizontal to rear in top of curbside sidebox top opening lid above horizontal compartment.	\$605.00



OCTOBER 2016

26) Full length hotstick shelf in top of streetside sidebox, 10" down From top, with type "E" hotstick door on rear body panel.	\$475.00
27) Aluminum ladder rack assembly, installed.	\$885.00
28) #1 or #2 curbside compt. with 3 shelves in lieu of access opening. (#1 on base body, #2 on optional 132 body, item #21).	No Charge
29) 15" Curbside tailshelf access steps in lieu of #1 or #2 access opening. (#1 on base body, #2 on optional 132 body, item #21 – includes Three (3) adjustable shelves in the replaced compartment).	\$440.00
30) Curbside #4 access opening in lieu of #1 or #2 access opening. (#1 on base body, #2 on optional 132 body, item #21 – includes Five (5) hooks 1-3-1 in the replaced compartment).	No Charge
31) Aluminum gripstrut installed full length of sidebox, <u>streetside</u> .	\$610.00
32) Rod lock door system for side compartments.	\$450.00
33) D-ring 3-point latches in lieu of rotary latches on side compts.	\$980.00
34) Additional divider shelves, each.	\$100.00
35) Two (2) pull-out material drawers with criss-cross dividers under shelf in horizontal.	\$700.00
36) Aluminum wheel well liners.	\$360.00

NOTES

- Requires selection of the appropriate chassis. Customer furnished chassis must meet minimum requirements for installation of equipment.
- Delivery: Approximately 240-270 days after receipt of order.
- Terms: 1%-20 days or Net 30 days.

We appreciate the opportunity to assist with your equipment requirements. If you have any questions or require additional information, please contact us at your earliest convenience.

Sincerely,
Utility Truck Equipment, Inc.

Rick Ellingsworth

Rick Ellingsworth



OCTOBER 2016

GENERAL OPTIONS FOR ALL UNITS

STANDARD UNIT OPTIONS

<u>OPTION #</u>	<u>PRICE EACH</u>
1) Lower boom operation from 3 function Unitrol handle with Telescoping boom on individual lever, SST and VST units.	\$275.00
2) Hard plastic lower boom saddle (not avail. on all units).	\$335.00
3) Boom out-of-stow light on chassis dash.	\$295.00
4) Outrigger warning alarms, per set of two (2).	\$425.00
5) 1TB bucket tool tray.	\$130.00
6) Hastings tool board with pouch.	\$225.00
7) Bucket scuff pad with step, with or without liner.	\$300.00
8) Hastings single conductor holder, for square jib.	\$895.00
9) Hastings single conductor holder, for round jib.	\$360.00
10) Chance PST4002856 conductor holder for 4" square jib.	\$1495.00
11) Winch and Jib storage post for cargo area.	\$365.00
12) Two (2) Dica D1818 outrigger pads and holders.	\$875.00
13) Two (2) Dica D24242 outrigger pads and holders.	\$1185.00
14) D-ring 3-point latches in lieu of standard, per door (glass body).	\$130.00
15) 72" x 18" x 12" aluminum top box with center top lid.	\$1800.00
16) 96" x 20" x 14" aluminum top box with two (2) lids, 1-48" 1-36"	\$2200.00
17) Rear frame rail enclosure with drop down rear access door. (Not available on all units).	\$1295.00
18) Weatherguard 304-3 Rat Pack Drawer unit at rear between frame rails (if space permits).	\$1725.00
19) Ring style cone holder on front bumper.	\$390.00
20) Post type cone holder – any location.	\$385.00
21) Swing out horizontal cone holder on front bumper.	\$775.00
22) Reese receiver with removable "L" shaped vice bracket.	\$510.00
23) Bicycle style aluminum wire storage rack.	\$585.00
24) Slide-N-Lock rail with two (2) sliding hooks, one (1) side.	\$325.00
25) UTE swing-out style ground spool carrying rack.	\$385.00
26) UTE ground spool spindle on frame with retainer pin, each.	\$180.00
27) 4" or 6" PVC storage tube with aluminum canister kit, each, up to 10' long, installed exterior.	\$385.00
28) Golight Stryker model 3067 wireless remote control spotlight.	\$960.00

RICHFIELD VST47-DODGE GAS 1-17-2017



OCTOBER 2016

29) Golight Stryker model 30004 LED wireless remote control spotlight.	\$1280.00
30) Night Ray NR-755-20KFDW Wireless remote control spotlight.	\$1210.00
31) Streamlight 45861 LED spotlight with charger base.	\$435.00
32) Unity standard 6" post mount spotlight, per side.	\$445.00
33) Unity LED 6" post mount spotlight, curbside .	\$675.00
34) Additional Hella H27113001 12 volt amber LED strobes, each.	\$520.00
35) Whelen L31HAF strobes in lieu of standard, each.	\$325.00
36) Additional Whelen L31HAF strobes, each.	\$830.00
37) Additional Whelen 2GA00FAR LED amber warning lights, each.	\$670.00
38) Soundoff Signal NRoads LED high dome double beacon in lieu standard.	\$395.00
39) Additional NRoads LED high dome double beacon, each.	\$850.00
40) Soundoff Signal Pinnacle mini LED light bar, each.	\$975.00
41) Tomar model 970L-4980-0102 light bar assembly installed on roof with controller in cab.	\$3750.00
42) Ecco LED cargo flood light on strobe light post	\$445.00
43) LED underbody lighting kit for night operations.	\$990.00
44) LED tractor mount lights at rear under tailshelf, wired to back up light circuit or a dash mounted control switch.	\$435.00
45) 1200 watt pure sine wave inverter, dash switch, rear receptacle.	\$2275.00
46) 1800 watt pure sine wave inverter, dash switch, rear receptacle.	\$2945.00
47) Whelen TA637A traffic control light bar at rear center under tailshelf with dash mounted controller.	\$1250.00
48) Mobile Awareness VisionStat backup camera system.	\$1140.00
49) Mobile Awareness VisionStat Plus backup camera w/ sensors.	\$1695.00
50) UTE grounding system with tower, body, and grounding stirrup attached to a single point on chassis frame. Includes curbside rear grounding stirrup.	\$720.00
51) Hannay SGCR10-17-19 spring retractable ground wire reel with 50' of 1/0 cable and clamp. Reel to be grounded to a single location on chassis frame.	\$1590.00
52) Hastings yellow retractable grounding reel with 50' of 1/0 yellow Cable and grounding clamp. Reel to be grounded to a single Location on chassis frame.	\$2290.00
53) Ram computer mount in chassis cab.	\$540.00
54) Remote engine stop/start switch at curbside rear (aerial unit only).	\$275.00



OCTOBER 2016

DODGE 5500 CAB AND CHASSIS

- 2017 Dodge 5500 4x2 chassis cab.
- 168" wheelbase, 84" C.A.
- Two (2) front tow hooks.
- 6.7L Cummins diesel engine.
- Front hood protection shield.
- 6 speed automatic transmission.
- Power take off provisions.
- 19,500# GVWR.
- 7200# front GAWR.
- Heavy duty front suspension.
- Anti-spin rear differential.
- 4 wheel ABS hydraulic brake system.
- Cruise control and tilt steering wheel.
- Heavy duty alternator.
- Dual maintenance free batteries.
- AM/FM stereo radio with clock.
- Engine block heater.
- 52 gallon aft axle rear fuel tank.
- Standard urea tank under driver side of cab.
- Standard interior trim.
- Vinyl bench seat.
- Standard gauge cluster.
- Factory air conditioning.
- Fold away trailer tow mirrors.
- LT225 radial tires, traction rear.
- Standard bright white paint.

STANDARD UNIT PRICE.....\$47,277.00.

CONTRACT DISCOUNT.....(\$3782.00).

TOTAL FOR DODGE CHASSIS CAB.....\$43,495.00.



OCTOBER 2016

STANDARD OPTIONS

1) 60" C.A. in lieu of 84" C.A. (18,750# GVWR)	DEDUCT	(\$150.00)
2) Gas engine in lieu of diesel.	DEDUCT	(\$6250.00)
3) 4 wheel drive package.		\$3650.00
4) Traction tires all six (6) wheels on 4x4 option.		NOT AVAILABLE
5) 4-door crew cab in lieu of regular cab.		\$3350.00
6) Manual transmission in lieu of automatic.	DEDUCT	(\$1040.00)
7) Tubular side steps.		\$675.00
8) Keyless entry, power windows and door locks, heated mirrors.		\$795.00
9) Trailer brake controller.		\$275.00
10) Bluetooth phone connection system.		\$845.00
11) Dodge OEM camera system, installed.		\$1100.00
12) Additional smart key with completed unit.		\$375.00



OCTOBER 2016

SUMMARY SHEET FOR 47 FT. BASE AERIAL PACKAGE AND OPTIONS

BASE PACKAGE PRICE AERIAL AND BODY \$86,295.00

Note: Items listed in red are included options

Heavy duty hydraulic platform rotator and support.	\$845.00
24" x 30" walk-in platform with <u>R.H. door.</u>	\$410.00
24" x 42" enclosed platform with cover and dual supports.	\$705.00
Top mount material handling winch and <u>manual</u> jib package.	\$3580.00
Aluminum understructure with aluminum treadplate cargo floor.	\$1150.00
12" wide through tunnel under tailshelf, door each side.	\$625.00
Full length hotstick shelf in top of streetside sidebox, 10" down From top, with type "E" hotstick door on rear body panel.	\$475.00
Curbside #4 access opening in lieu of #1 or #2 access opening. (#1 on base body, #2 on optional 132 body, item #21 – includes Five (5) hooks 1-3-1 in the replaced compartment).	No Charge
Aluminum gripstrut installed full length of sidebox, <u>streetside.</u>	\$610.00
Lower boom operation from 3 function Unitrol handle with Telescoping boom on individual lever, SST and VST units.	\$275.00
Hard plastic lower boom saddle (not avail. on all units).	\$335.00
96" x 20" x 14" aluminum top box with two (2) lids.	\$2200.00
Unity LED 6" post mount spotlight, <u>curbside.</u>	\$675.00
Ecco LED cargo spot or flood light.	\$445.00
Whelen TA637A traffic control light bar at rear center under tailshelf with dash mounted controller.	\$1250.00
Mobile Awareness VisionStat Plus backup camera w/ sensors.	\$1695.00
BASE DODGE CHASSIS	\$43,495.00
Gas engine in lieu of diesel. DEDUCT	(\$6250.00)
4 wheel drive package.	<u>\$3650.00</u>

TOTAL DELIVERED COST \$142,465.00

NOTE: DELETE COMBO HITCH AND TRAILER PLUG DELETE (\$300.00)
 INSTALL 12VDC FUSED CIRCUIT TO REAR OF CHASSIS \$300.00
 INSTALL LARGE OVAL STROBE MOUNTING PLATES \$ NC