

**A RESOLUTION AUTHORIZING THE MAYOR AND THE FINANCE DIRECTOR TO PURCHASE A NEW FIRE ENGINE FROM ATLANTIC EMERGENCY SOLUTIONS THROUGH THE STATE OF OHIO COOPERATIVE PURCHASING PROGRAM, WAIVING COMPETITIVE BIDDING, AUTHORIZING PREPAYMENT, AND DECLARING AN EMERGENCY**

WHEREAS, the Village is a member of the State of Ohio Cooperative Purchasing Program; and

WHEREAS, the Village desires to purchase a new fire engine and any associated equipment as more fully described in the specifications attached hereto and expressly incorporated herein as Exhibit "A") with from Atlantic Emergency Solutions through the State of Ohio Cooperative Purchasing Program for a total purchase price of \$822,452.06; and


WHEREAS, Atlantic Emergency Solutions has agreed to discount the total purchase price of the new fire by \$27,298.00 if the Village prepays for the new fire engine in full within 30 days of the contract signing.


NOW, THEREFORE, BE IT RESOLVED by the Council of the Village of Richfield, County of Summit, State of Ohio:


- SECTION 1. The Mayor and the Finance Director are hereby authorized and directed to purchase a new fire engine and any associated equipment as set forth in specifications found in Exhibit "A" with Atlantic Emergency Solutions through the State of Ohio Cooperative Purchasing Program for a price not to exceed \$795,154.06 and substantially in accordance with the Agreement attached hereto and expressly incorporated herein as Exhibit "B" subject to final approval of the Law Director.
- SECTION 2. The Mayor and Finance Director are authorized and directed to make a prepayment for the total purchase of \$795,154.06 for the new fire engine within 30 days of execution of the Agreement in order to take advantage of a prepayment discount offered by Atlantic Emergency Solutions.
- SECTION 3. Because this purchase is made under the State of Ohio Cooperative Purchasing Program, Council waives the requirement for competitive bidding pursuant to Section 141.03(f) of the Richfield Codified Ordinances.
- SECTION 3. It is found and determined that all formal actions of this Council concerning and relating to the adoption of this Resolution were adopted in an open meeting of this Council, and that all deliberations of this Council and of any of its committees that resulted in such formal action, were in meetings open to the public, in compliance with all legal requirements including Section 121.22 of the Ohio Revised Code.

SECTION 4. This Resolution is hereby declared to be an emergency measure necessary for the immediate preservation of the public health, safety and welfare and for the further reason that it is immediately necessary in order to acquire the new fire engine and any associated equipment at the earliest possible time; wherefore, provided this Resolution receives the affirmative vote of two-thirds of the members of Council elected or appointed, it shall take effect immediately upon its passage and execution by the Mayor; otherwise, it shall take effect and be in force from and after the earliest period allowed by law.

PASSED: 12-15-21

  
\_\_\_\_\_  
President of Council

ATTEST:  
  
\_\_\_\_\_  
Clerk of Council

  
\_\_\_\_\_  
Mayor

Dated: 12/15/2021



# Option List

Customer: Richfield Fire Department  
 Representative: Najsztup, Chris  
 Organization: Atlantic Emergency Solutions, Inc  
 Requirements Manager:  
 Description: Richfield Fire Department  
 Body: Pumper, PUC, Aluminum  
 Chassis: Enforcer Chassis, PUC

Bid Number: 1149  
 Job Number:  
 Number of Units: 1  
 Bid Date: 12/22/2021  
 Stock Number:  
 Price Level: 40 (Current: 40)  
 Lane:

Line	Option	Type	Option Description	Qty
1	0766589		Boiler Plates, PUC Pumper Fire Department/Customer - Richfield Fire Department Operating/In conjunction W-Service Center - In Conjunction Miles - 25 Miles Number of Fire Dept/Municipalities - 2 Bidder/Sales Organization - Atlantic Emergency Solutions Delivery - Delivery representative Dealership/Sales Organization, Service - Atlantic Emergency Solutions	1
2	0661794		Single Source Compliance	1
3	0584456		Manufacture Location, Appleton, Wisconsin	1
4	0584452		RFP Location: Appleton, Wisconsin	1
5	0588609		Vehicle Destination, US	1
6	0610784		Comply NFPA 1901 Changes Effective Jan 1, 2016, With Exceptions	1
7	0533347		Pumper/Pumper with Aerial Device Fire Apparatus	1
8	0588611		Vehicle Certification, Pumper	1
9	0661778		Agency, Apparatus Certification, Pumper/Tanker, U.L.	1
10	0620355		Consortium, State of Ohio	1
11	0537375		Unit of Measure, US Gallons	1
12	0529326		Bid Bond, 10%, Pierce Built Chassis	1
13	0540326		Performance Bond, Not Requested	1
14	0000007		Approval Drawing	1
15	0002928		Electrical Diagrams	1
16	0625939		Enforcer Chassis, PUC	1
17	0000110		Wheelbase Wheelbase - 195"	1
18	0000070		GVW Rating GVW rating - 47,000	1
19	0729280		Frame Rails, 13.38 x 3.50 x .375, Enforcer	1
20	0020018		Frame Liner Not Req'd	1
21	0630705		Axle, Front, Oshkosh TAK-4, Non Drive, 19,500 lb, Enforcer	1
22	0030264		Suspension, Front TAK-4, 19,500 lb, Qtm/AXT/Imp/Vel/Dash CF/Enf	1
23	0087572		Shock Absorbers, KONI, TAK-4, Qtm/AXT/Imp/Vel/DCF/Enf	1
24	0000322		Oil Seals, Front Axle	1
25	0785760		Tires, Front, Michelin, XZY3 (wb), 425/65R22.50, LRL, Fire Service Speed Rating	1
26	0019611		Wheels, Front, Alcoa, 22.50" x 12.25", Aluminum, Hub Pilot	1
27	0603826		Axle, Rear, Meritor RS30-185, 33,500 lb, Saber FR/Enforcer	1
28	0602744		Top Speed of Vehicle, Non-NFPA 2016 Compliant Top Speed of Vehicle - 75	1
29	0122073		Suspen, Rear, Standens, Spring, 33,500 lb, Imp/Vel/Enf	1
30	0000485		Oil Seals, Rear Axle	1
31	0057815		Tires, Rear, Michelin, XDN2 Grip, 315/80R22.50, LRL, Single	1
32	0019668		Wheels, Rear, Alcoa, 22.50" x 9.00", Aluminum, Hub Pilot, Single	1
33	0568081		Tire Balancing, Counteract Beads	1
34	0688595		Tire Pressure Monitoring System, Not Required With Crossfire Monitoring System	1
35	0003245		Axle Hub Covers w/center hole, S/S, Front Axle	1
36	0057936		Covers, Lug Nut, Chrome	1
37	0002045		Mud Flap, Front and Rear, Pierce Logo	1
38	0544802		Chocks, Wheel, SAC-44-E, Folding Qty, Pair - 01	1
39	0544806		Mounting Brackets, Chocks, SAC-44-E, Folding, Horizontal Qty, Pair - 01	1

Line	Option	Type	Option Description	Qty
39			Location, Wheel Chocks - Left Side Rear Compt	
40	0010670		ABS Wabco Brake System, Single rear axle	1
41	0030185		Brakes, Knorr/Bendix 17", Disc, Front, TAK-4	1
42	0000740		Brakes, Meritor, Cam, Rear, 16.50 x 8.63"	1
43	0731553		Air Compressor, Brake, Cummins/Wabco 25.9 CFM	1
44	0637584		Brake Reservoirs, 5,376 Cubic Inch Minimum Capacity, Saber FR/Enforcer	1
45	0568012		Air Dryer, Wabco System Saver 1200, Heater, 2010	1
46	0000790		Brake Lines, Nylon	1
47	0556435		Air Inlet, Kussmaul Auto-Eject w/Discon Coupling, Recess DS Cab, Above Wheelwell	1
			Qty, Air Coupling (s) - 1	
48	0000860		Outlet, Air, with shut off valve	1
			Location, Air Coupling(s) - i) PS Pump Panel	
			Qty, Air Coupling (s) - 1	
49	0060852		Cover, Weatherproof, for Recessed Kussmaul Air Inlet	1
			Color, Kussmaul Cover - b) red	
50	0733901		Engine, Cummins X12, 500 hp, 1695 lb-ft, W/OBD, EPA 2021, REPTO, Enforcer	1
51	0730962		Filters, Remote Mounted, Oil, Fuel, X12, VEL/AXT, ENF, QTM	1
52	0001244		High Idle w/Electronic Engine, Custom	1
53	0687994		Engine Brake, Jacobs Compression Brake, Cummins Engine	1
			Switch, Engine Brake - e) ISC/ISM/ISL9/ISX Hi Med Lo	
54	0644227		Clutch, Fan, Air Actuated, Saber FR/Enforcer	1
55	0644573		Air Intake, Water & Ember Screen, Saber FR/Enforcer	1
56	0794743		Exhaust System, 5", X12/X15, MX13, Engine, Horizontal, Right Side	1
57	0521146		Exhaust, Modified for Plymovent System, 7.00" Diffuser, CARE	1
58	0788765		Radiator, Saber FR/Enforcer	1
59	0001090		Cooling Hoses, Rubber	1
60	0074074		Fuel Tank, 65 Gallon, Left Side Fill, Aluminum	1
			Finish - Unfinished	
61	0001129		Lines, Fuel	1
62	0662965		DEF Tank, 4.5 Gallon, DS Fill, Rear of Axle, Common Air Bottle Door	1
63	0723716		Fuel Priming Pump, Electronic, Automatic, Cummins, No Swt Req'd	1
64	0552712		Not Required, Shutoff Valve, Fuel Line	1
65	0553019		Cooler, Engine Fuel, Imp/Vel, AXT/Qtm/Sab/DCF/SFR/Enf	1
66	0578959		Fuel/Water Separator, Racor Inline	1
67	0642582		Trans, Allison 5th Gen, 4000 EVS P, w/Prognostics, Imp/Vel/DCF/SFR/Enf	1
68	0625331		Transmission, Shifter, 6-Spd, Push Button, 4000 EVS	1
69	0517604		Transmission Programming, Park to Neutral, PUC	1
70	0684459		Transmission Oil Cooler, Modine, External	1
71	0001375		Driveline, Spicer 1810	1
72	0669988		Steering, Sheppard M110 w/Tilt, TAK-4, Eaton Pump, w/Cooler	1
73	0605356		Steering Wheel, 4 Spoke without Controls, Saber FR/Enforcer	1
74	0690274		Logo/Emblem, on Dash	1
			Text, Row (1) One - Richfield	
			Text, Row (2) Two - Fire	
			Text, Row (3) Three - Department	
75	0606441		Bumper, 19" Extended, Steel Painted, Saber FR/Enforcer	1
76	0640197		Tray, Hose, Center, 19" Bumper, Outside Air Horns	1
			Grating, Bumper extension - Grating, Rubber	
			Capacity, Bumper Tray - 21) 150' of 1.75"	
77	0750214	SP	Cover, Aluminum Treadplate, Raised, 2", One (1) D-Ring Latch, Hose Tray, Notched	1
			Stay arm, Tray Cover - b) Pneumatic Stay Arm	
78	0778092		Lift & Tow Package, Enforcer	1
79	0002270		Tow Hooks, Chrome	1
80	0698960		Coating, Top Flange, Front Bumper, Outside Exterior, Line-X Coating, Black	1
81	0625646		Cab, Enforcer, 7010, PUC	1
82	0747442		Engine Tunnel, X12, MX13, Enforcer	1
83	0610508		Rear Wall, Interior, Adjustable Seating, Not Available	1
84	0632103		Rear Wall, Exterior, Cab, Saber FR/Enforcer	1
			Material, Exterior Rear Wall - Painted	
85	0644201		Cab Lift, Elec/Hyd, Saber FR/Enforcer	1

Line	Option	Type	Option Description	Qty
86	0695930		Grille, Bright Finished, Front of Cab, Dash CF/Enforcer	1
87	0002224		Scuffplates, S/S At Cab Door Jambs, 4-Door Cab	1
			Material Trim/Scuffplate - c) S/S, Polished	
88	0647932		Not Required, Trim, S/S Band, Across Cab Face, AXT/Dash CF/Saber/Enforcer	1
89	0015440		No Chrome Molding, On side of cab	1
90	0521669		Mirrors, Retractable, West Coast Style, Htd/Rmt, w/Htd/Rmt Convex	1
91	0648172		Door, Full Height, Saber FR/Enforcer 4-Door Cab, Raised Roof	1
			Key Model, Cab Doors - 751	
			Cab, Exterior Door Handle, Finish - 4-Door, Chrome/Black	
92	0655543		Door Panel, Brushed Stainless Steel, Saber/Enforcer 4-Door Cab	1
93	0630636		Controls, Electric Roll-Up Windows, 4dr, 4 Driver Controls, Saber FR/Enforcer	1
94	0633615		Steps, 4-Door Cab, Reduced Bottom Step, Saber FR/Enforcer	1
			Step Well Material - Aluminum Treadplate	
95	0770200		Handrail, Exterior, Hansen, Knurled, Alum, LED Backlit, 4-Door Cab	1
			Color, Handrail Light - Red	
			Control, Handrail Light - Parking Brake	
96	0724849	SP	Steps, Stirrup, Formed, Cab & Crew Cab Doors, 7" Deep, SFR/Enf	1
			Light, Step, Additional - P25 LED	
97	0634786		Lights, Cab & Crw Cab Acs Stps, P25, LED w/Bezel, 6lts	1
98	0583698		Fenders, S/S on cab, Extra Wide, Saber/Enf	1
99	0637984		Window, Side of C/C, Fixed, Saber FR/Enforcer	1
100	0012090		Not Required, Windows, Front/Side of raised roof	1
101	0779033		Not Required, Windows Rear of Crew Cab, Saber FR/Enforcer	1
102	0898549		Cab Air Filtration, TFT CrewProtect, 12v DC, Loc, CARE	1
			Qty, CrewProtect Filter - No additional	
			Location, Occupant Filtration System - Rear of Driver Seat	
103	0894089		Dash, Heavy Duty Metal, Enforcer	1
			Material Finish, Cab Interior - Painted	
104	0607217		Mounting Provisions, 3/16" Alum, Full Engine Tunnel, Saber FR/Enforcer	1
			Mounting Provision Spacing - .75"	
			Material Finish, Cab Interior - Painted	
105	0750824		Cab Interior, Vinyl Headliner, Saber FR/Enforcer, CARE	1
			Color, Cab Interior Vinyl/Fabric - Endure Vinyl - Silver/Gray	
			Engine Tunnel Cover - Dark Silver Gray Endure Vinyl	
			Cab Interior Rear Wall Material - Painted Aluminum	
106	0753903		Cab Interior, Paint Color, Saber FR/Enforcer	1
			Color, Cab Interior Paint - i) fire smoke gray	
107	0052100		Floor, Rubber Padded, Cab & Crew Cab, Saber/Enforcer	1
108	0722696		HVAC, Enforcer, CARE	1
			HVAC System, Filter Access - Removable Panel	
			Auxiliary Cab Heater - Both	
			HVAC System, Control Loc. - Panel Position #12	
			Plenum Cover Material - Metal, Painted	
109	0639675		Sun Visor, Smoked Lexan, AXT, Imp/Vel, Saber FR/Enforcer	1
			Sun Visor Retention - No Retention	
110	0634328		Grab Handles, Driver and Officer Door Posts, Saber FR/Enforcer	1
111	0583938		Lights, Engine Compt, Custom, Auto Sw, Wln 3SC0CDCR, 3" LED, Trim	1
			Qty, - 01	
112	0631830		Fluid Check Access, Saber FR/Enforcer, Arrow XT	1
113	0583042		Side Roll and Frontal Impact Protection	1
114	0622619		Seating Capacity, 4 Seats	1
115	0636955		Seat, Driver, Pierce PSV, Air Ride, High Back, Safety, Saber FR/Enforcer	1
116	0636942		Seat, Officer, Pierce PSV, Fixed, SCBA, Safety, Saber FR/Enforcer	1
117	0620420		Radio Compartment, Below Non-Air Ride Seat, Saber FR/Enforcer	1
118	0635973		Seat, Rear Facing C/C, DS Outboard, Pierce PSV, SCBA, Safety, Saber FR/Enforcer	1
119	0102783		Not Required, Seat, Rr Facing C/C, Center	1
120	0635969		Seat, Rear Facing C/C, PS Outboard, Pierce PSV, SCBA, Safety, Saber FR/Enforcer	1
121	0108189		Not Required, Seat, Forward Facing C/C, DS Outboard	1
122	0783468		Cabinet, Forward Facing, Center, 42 W x 50 H x 24.75 D, Roll, SFR/Enf	1
			Material Finish, Shelf - Brushed	
			Shelf/Tray, Cabinet - (2) Shelves, Adjustable, 0.75" Up-Turned Lip	

Line	Option	Type	Option Description	Qty
122			Door, Cab Interior Cabinet - Rollup, Amdor, Anodized, Non-Locking Light, Tall Cabinet - Pierce, Interior, Left Side and Pierce, Interior, Right Side Louvers, Cabinet - Louvers, Right Side and Louvers, Left Side	
123	0108190		Not Required, Seat, Forward Facing C/C, PS Outboard	1
124	0566653		Upholstery, Seats In Cab, Turnout Tuff Color, Cab Interior Vinyl/Fabric - c) Black	1
125	0543991		Bracket, Air Bottle, Hands-Free II, Cab Seats Qty, - 04	4
126	0603866		Seat Belt, Dual Retractor, ReadyReach, Saber FR/Enforcer Seat Belt Color - Red	1
127	0602464		Helmet Storage, Provided by Fire Department, NFPA 2016	1
128	0647647		Lights, Dome, FRP Dual LED 4 Lts Color, Dome Lt - Red & White Color, Dome Lt Bzl - Black Control, Dome Lt White - Door Switches and Lens Switch Control, Dome Lt Color - Lens Switch	1
129	0602637		Portable Hand Light, Provided by Fire Dept, Pumper NFPA 2016 Classification	1
130	0622803		Cab Instruments, Black Gauges, Black Bezels, Enforcer MUX Emergency Switching - Individual Switches	1
131	0509511		Air Restriction Indicator, Imp/Vel, AXT, Dash CF, Enf MUX	1
132	0543751		Light, Do Not Move Apparatus Alarm, Do Not Move Truck - Pulsing Alarm	1
133	0509042		Messages, Open Dr/DNMT, Color Dsply,	1
134	0622798		Switching, Cab Instrument Lower Console & Overhead, Rocker MUX, Enforcer	1
135	0644179		Wiper Control, 2-Speed with Intermittent, Saber FR/Enforcer	1
136	0548004		Wiring, Spare, 15 A 12V DC 1st Qty, - 01 12vdc power from - Battery direct Wire termination - 10-Place Bus Bar w/Cover Location, Spare Wiring - Behind Officer Seat	1
137	0615386		Vehicle Information Center, 7" Color Display, Touchscreen, MUX System Of Measurement - US Customary	1
138	0734857		Collision Mitigation, HAAS Alert (R2V), HA5 Subscription, HAAS R2V - R2V - 5 Year Data Plan Subscription	1
139	0606249		Vehicle Data Recorder w/CZ and Overhead Display Seat Belt Monitor	1
140	0696439		Antenna Mount, Custom Chassis, Cable Routed to Instrument Panel Area Qty, - 02 Location, Antenna Mount - Left And Right Side	2
141	0653520		Camera, Pierce, Mux, R, RS Cameras Camera System Audio - Speaker Behind Driver Camera System	1
142	0661381		Recess, Rear Vision Camera, Polished Stainless Steel Location - Center of rear body high	1
143	0615112		Pierce Command Zone, Advanced Electronics & Control System, Enforcer, WiFi	1
144	0624253		Electrical System, Enforcer MUX	1
145	0089703		Batteries, (6) Interstate Grp 31, 950 CCA each, Threaded Stud	1
146	0008621		Battery System, Single Start, All Custom Chassis	1
147	0546514		Battery Compartment, Stainless Steel, Saber/Enforcer Material Finish - Unpainted	1
148	0746557		Charger, Sngl Sys, Blue Sea P12, 7517, Remote, Bar Graph Display, 40 Amp	1
149	0662220		Location, Charger, Cab Behind Driver Seat, Dash CF/Saber FR/Enf	1
150	0537512		Location, Bat Chrg Ind, Display Through Window Behind Driver Seat	1
151	0782026		Shoreline, 20A 120V, Blue Sea Sure Eject 7851 Qty, - 01 Connection, Shoreline - DS above front wheel Color, Cover, BI Sea Inlet - Red	1
152	0026800		Shoreline Location Location, Shoreline(s) - DS Cab Side	1
153	0780161		Transfer Switch, Shoreline to Inverter 30 Amp and Under	1
154	0647728		Alternator, 430 amp, Delco Remy 55S1	1
155	0092582		Load Manager/Sequencer, MUX Enable/Disable Hi-Idle - e)High Idle enable	1

Line	Option	Type	Option Description	Qty
156	0783157		Headlights, Rect LED, JW Spkr Evo 2, Heat, AXT/DCF/Enf/Imp/Sab/Vel Color, Headlight Bez - Chrome Bezel	1
157	0775055		Light, Directional, Wln C6T* LED Arrow, Common Bzl, Above Headlts, Sab/Enf Color, Lens, LED's - Clear	1
158	0620054		Light, Directional/Marker, Intermediate, Weldon 9186-8580-29 LED 2lts	1
159	0735474		Lights, Clearance/Marker/ID, Front, P25 LED 7 Lts, Saber FR/Enforcer Light Guard - No Guards	1
160	0647899		Lights, Directional/Marker, Cab Front Side, Weldon 9186-8580-29 LED, Sab/Enf	1
161	0088869		Lights, Clearance/Marker/ID, Rear, Truck-Lite 26250R LED 7Lts	1
162	0517025		Lights, Tail, Wrap-around, Stop/Tail, Turn & Backup LED, Tri-Cluster	1
163	0085910		Lights, Backup Included in Signal Cluster	1
164	0664469		Bracket, License Plate & Light, Weldon 9186-23882-30 Incandescent	1
165	0589905		Alarm, Back-up Warning, PRECO 1040	1
166	0769420		Lights, Perimeter Cab, Amdor AY-LB-12HW020 LED 4Dr	1
167	0769572		Lights, Perimeter Pump House, Amdor AY-LB-12HW020 LED 2lts	1
168	0770056		Lights, Perimeter Body, Amdor AY-LB-12HW020 LED 2lts, Rear Step Control, Perimeter Lts - Parking Brake Applied	1
169	0557322		Lights, Step, P25 at Rear Tailboard, PUC, 4lts Perm Lts	1
170	0776357		Light, Visor, Wln, 12V P*H2* Pioneer, Cnt Feature, 1st Qty, - 01 Location, driver's/passenger's/center - Centered Color, Wln Lt Housing - White Paint Control, Scene Lts - Cab Sw Panel DS and Cab Sw Panel PS Scene Light Optics - Flood/Spot	1
171	0774309		Lights, Wln, P*H2* Pioneer, 12 VDC, 1st Location - DS and PS above the center window Qty, - 02 Color, Wln Lt Housing - Black Paint Control, Scene Lts - Cab Sw Panel DS, Pump Panel Sw LS and Cab Sw Panel PS Scene Light Optics - combination	2
172	0774579		Lights, Wln, P*H2* Pioneer, 12 VDC, 1st Location - DS Body front and rear Qty, - 02 Color, Wln Lt Housing - Black Paint Control, Scene Lts - Cab Sw Panel DS, Pump Panel Sw LS and Cab Sw Panel PS Scene Light Optics - Flood/Spot Mount, Wln II - Semi-recessed 0 deg P**2	2
173	0774333		Lights, Wln, P*H2* Pioneer, 12 VDC, 2nd Location - PS body front and rear Qty, - 02 Color, Wln Lt Housing - Black Paint Control, Scene Lts - Cab Sw Panel DS, Pump Panel Sw LS and Cab Sw Panel PS Scene Light Optics - Flood/Spot Mount, Wln II - Semi-recessed 0 deg P**2	2
174	0532358		Not Required, Deck Lights, Other Hose Bed & Rear Lighting	1
175	0645877		Lights, Hose Bed, Sides, Dual LED Light Strips Control, Hose Bed Lts - Cup Switch At Rear	1
176	0645677		Lights, Not Required, Rear Work, Alt. 12 Volt Lights At Rear Body	1
177	0645649		Lights, Rear Scene, Wln, M6ZC LED, M6P15C 15 Deg Brkt Location, Lights - Rear of body DR and PS high as possible Qty, - 02 Control, Rear Scene Lts - Cab Switch Panel DS, Cab Switch Panel PS and Cup Switch at Rear	2
178	0709438		Light, Walking Surf, FRP Flood, LED	1
179	0518282		Pumper, PUC, Aluminum	1
180	0554271		Body Skirt Height, 20"	1
181	0682616		Tank, Water, 1000 Gallon, Poly, 67 LHB, PUC	1
182	0003405		Overflow, 4.00" Water Tank, Poly	1
183	0028104		Foam Cell Required	1

Line	Option	Type	Option Description	Qty
184	0633066		Sleeve, Through Tank	2
			Qty, Sleeve - 2	
			Water Tank Sleeve - Plumbing/Hydraulic Diameter - 3" Plumbing	
185	0553725		Restraint, Water Tank, Heavy Duty, Special Type Tank, 4x4, or Export	1
186	0003429		Not Required, Direct Tank Fill	1
187	0003424		Not Required, Dump Valve	1
188	0048710		Not Required, Jet Assist	1
189	0030007		Not Required, Dump Valve Chute	1
190	0514778		Not Required, Switch, Tank Dump Master	1
191	0597043		Body Height, PUC/HDRP	1
			Body Height - 95.00"	
192	0683290		Hose Bed, Aluminum, Pumper, PUC, 67 LHB	1
193	0723340		Unpainted/Brush Finished, Hose Bed, 3G PUC/HDRP	1
194	0003481		Hose Bed Capacity, Special	1
			Capacity, Hosebed - 400' of 2.5"	
			400' of 1.75"	
			1000' of 4"	
			400' of 2.5"	
			400' of 1.75"	
195	0083488		Divider, Hose Bed, .25" Unpainted	4
			Qty, Hosebed Dividers - 4	
196	0720858	SP	Hose Restraint, HB, Vinyl Top & Rear,	1
			Color, Vinyl Cover - c) black	
			Type of fastener, Rear - seat belt buckle	
			Type of fastener, Front - Awning rail (aluminum retainer) - Front Hosebed	
			Vinyl flap weight - not weighted	
			Fastener, Hose Restraint - Bungee Cord & Hook w/ Pull Tab	
197	0611509		Running Boards, Flip Out, PUC	1
198	0685334		Tailboard, 12" Deep, Full Width, PUC/HDRP	1
199	0690029		Wall, Rear, Body Material, PUC, PUC Tanker, PRM, HDRP	1
200	0003531		Tow Bar, Under Tailboard	1
201	0656764		Construction, Compt, Alum, Pumper, PUC	1
202	0503804		LS 189" Rollup, (1) 62" Fwd, (1) 52" Rr, Full Height & Depth Front & Rear, PUC	1
			Width, PUC Pump Operators Panel Partition - 2.5"	
203	0503803		RS 189" Rollup, (1) 62" Fwd, (1) 52" Rr, Full Height & Depth Front & Rear, PUC	1
204	0594005		Doors, Rollup, Amdor, Side Compartments	6
			Qty, Door Accessory - 06	
			Color, Roll-up Door - AMDOR Painted to Match Lower Body	
			Latch, Roll-up Door - Non-Locking Liftbar	
205	0557309		Compt, Rear, Rollup, 40.50" FF, w/Tailboard, PUC/HDRP	1
206	0593958		Door, Amdor, Rollup, Rear Compartment, PUC	1
			Color, Roll-up Door - AMDOR Painted to Match Lower Body	
			Latch, Roll-up Door - Non-Locking Liftbar	
207	0795345		Guard, Drip Pan, Pair, Raise 3" Height, Over the Wheel Compts, PUC/HDRP	1
208	0795390		Pull Strap for Rollup Doors, Amdor Flex-HD	6
			Location - DS and PS body doors	
			Qty, Door Accessory - 06	
209	0616670		Lights, Compt, Pierce LED, Dual Light Strips, Each Side of Door, Pumper/Tanker	7
			Qty, - 07	
			Location, Compartment Lights - All Body Compts	
210	0585205		189" Hatch, (2) Lift-up, 21" Wide RS, 14" Wide LS, PUC/HDRP	1
			Size, Hatch Compt, Height - 22.00"	
			Trim, Body/Hatch Compt Seam, Horizontal, Pair - Molding	
			Trim, Body/Hatch Compt Seam, Vertical, Pair, PUC - Painted Extrusion	
211	0733406		Handrails, Hatch Step Area, (1) Curved & (1) Straight	1
212	0688124		Lights, Hatch Compt, LED Strip Light, 189", Both Sides	1
213	0687145		Shelf Tracks, Recessed, PUC/3rd Generation	1
214	0600350		Shelves, Adj, 500 lb Capacity, Full Width/Depth, Predefined Locations	4
			Qty, Shelf - 04	
			Material Finish, Shelf - Brushed	
			Location, Shelves/Trays, Predefined - LS1-Transition Point, RS2-Upper Third Right of Partition, RS3-Lower Third Right of Partition and LS3-Upper Third	

Line	Option	Type	Option Description	Qty
215	0544614		Toolboard, Swing-out, Alum, .188", Peg Board, 3G Qty - 1 Location, Pivot - Back Mounting, Toolboard - Adjustable Frt-back Hole Diameter, Pegboard/Toolboard - .281" diameter Finish, Pegboard/Toolboard - Brushed Finish Location, Toolboard - RS2	1
216	0063064		Rub Rail, Aluminum Extruded, Side of Body, 3rd Gen Body	1
217	0515441		Fender Crowns, Rear, S/S, W/Removable Fender Liner, Pumper, 3rd Gen Material Finish, Fender Liner - Brushed Stainless	1
218	0602346		Hose, Hard Suction, Provided by Dealer, Pumper NFPA 2016 Classification Qty, Hard Suction Hose - 2 Brand, Model, Age of Tool - TFT Length, Hard Suction Hose - 84" lengths Diameter, Hard Suction Hose - 6.00" Type of Hose Ends, Couplings, Hard Suction Hose - NST	2
219	0590025	SP	Troughs, H.S.H. Vertical Above Crosslays (2), PUC Fill in Blank - Vertical above crosslay	1
220	0527021		Handrails Located @ Front Body	1
221	0664688		Handrails, Rear, PUC/HDRP	1
222	0610196		Handrail, Rear, Above Hose Bed, New York Style/Low Hose Bed Handrail Finish - Black Rubber Covered Reinforcement, Hose Bed Divider - Tied to Upper Handrail/Crossbar	1
223	0657522		Compt, Air Bottle, Triple, Fender Panel Qty, Air Bottle Comp - 3 Door Finish, Fender Compt - Polished Location, Fender Compt - Triple - LS Fwd, Triple - RS Fwd and Triple - RS Rear Latch, Air Bottle Compt - D-Ring Latch Insert, Air Bottle Compt - Dura-Surf Lining	3
224	0654143		Compt, Air Bottle, Single, Common Triple Door (DEF/Fuel), Fender Panel Door Finish, Fender Compt - Polished Latch, Air Bottle Compt - D-Ring Latch Insert, Air Bottle Compt - Dura-Surf Lining	1
225	0004225		Ladder, 24' Duo-Safety 900A 2-Section	1
226	0004230		Ladder, 14' Duo-Safety 775A Roof	1
227	0638382		Rack, Ladders, LS Full Depth Body, PUC/HDRP Door, Material & Finish, Ladder Storage - polished stainless steel Latch, Door Ladder Storage - D-Handle latch Hinge Location - Outboard	1
228	0733387		Ladder, 10' Duo-Safety Folding 585A	1
229	0733004		Compt w/Trough, Folding Ladder, In Upper Body, RS Door, Material & Finish, Storage - Polished S/S Latch, Door, Storage - Southco C2 Chrome Raised Hinge Location - Outboard	1
230	0004259		Slides, Dura-Surf, Ladder Storage Rack	1
231	0602877		Pike Pole, Pumper, Provided by Fire Department, NFPA 2016 Pike Pole Make/Model - Duo-Safety 10' Pike Pole	1
232	0732983		Tube, Pike Pole 8' or Longer, Thru-Body Ladder Storage Qty, Pike Poles - 1 Location, Left Side, Right Side - Right Side Width, Notch, Pike Pole Tube - 1.38", NY Notch	1
233	0602875		Pike Pole, 6', Pumper, Provided by Fire Department, NFPA 2016 Pike Pole Make/Model - Duo-Safety 6' Pike Pole	1
234	0732993		Tube, Pike Pole 6', Thru-Body Ladder Storage Qty, Pike Poles - 1 Location, Left Side, Right Side - Left Side Width, Notch, Pike Pole Tube - 1.38", NY Notch	1
235	0521734		No Steps Required, Front Of Body, PUC	1
236	0794171		Ladder, Top Access, Alum, Rear, PUC, Opposite Ladder Storage Do Not Move Truck Indicator - DNMT indicator	1
237	0724149		Step, Folding - Extra, Body Only, w/LED, Trident, Black Qty, Folding Step - 02 Location, Additional Step - LS rear of body	2

Line	Option	Type	Option Description	Qty
237			Coating, Step - luminescent	
238	0515692		Pump Operators Panel, 31", Control Zone, PUC	1
239	0520016		Not Required, Pumphouse Structure, PUC	1
240	0515695		Pump, Pierce, 1500 GPM, Single Stage, PUC	1
241	0515822		Seal, Mechanical, Silicon Carbide, PUC Pump	1
242	0515705		Gear Case, Pierce Pump, REPTO-Clutch Drive	1
243	0721196		Pumping Mode, Pump and Roll/Stationary, Basic, MUX, PUC	1
244	0515829		Pump Shift, Sure-Shift	1
245	0515833		Transmission Lock-up, Not Req'd, Park to Neutral, Pump, PUC	1
246	0515835		Auxiliary Cooling System, PUC	1
247	0014486		Not Required, Transfer Valve, Stage Pump	1
248	0746508		Valve(s), Relief Intake, Trident Air Max, Control Location	1
			Qty - 1	
			Pressure Setting - 125 psig	
			Intake Relief Valve Control - Behind Right Side Pump Panel	
249	0724463		Controller, Pressure, Pierce LCD, PUC	1
			Pressure Governor Throttle Control - Clockwise	
			Pressure Governor Default Mode - No Mode/Default Press Setting	
250	0672564		Primer, Trident, Air Prime, Air Operated,w/ (1) Addl Priming Valve, Automatic	1
			Inlet Extra Primer - Front Inlet	
251	0658276		Thermal Relief Valve, w/Amber Warning Light, PUC Pump	1
			Location, Thermal Relief Discharge - Ground	
252	0780359		Manuals, Pump, (2) Total, Electronic Copies, Pierce PUC Pump	1
253	0602496		Plumbing, Stainless Steel and Hose, Single Stage Pump, PUC	1
254	0795135		Plumbing, Stainless Steel, w/Foam System	1
255	0517852		Inlets, 6.00" - 1500 GPM, Pierce PUC Pump	1
256	0014650		Pump Suction Tube(s), Short, All	1
257	0004646		Cap, Main Pump Inlet, Long Handle, NST, VLH	1
258	0084610		Valves, Akron 8000 series- All	1
259	0520002		Valve, Inlet(s) Recessed, Side Cntrl, PUC	2
			Qty, Inlets - 2	
260	0004700		Control, Inlet, at Valve	1
261	0004660		Inlet (1), Left Side, 2.50"	1
262	0004680		Inlet, Right Side, 2.50"	1
263	0521137		Anode, Zinc, Pair, Pump Inlets, PUC	1
264	0897257		Inlet, 4" to 6" Front, 5" Plumbing, w/Bleeder Valve, Top of Bumper	1
			Inlet, Size - Six	
			Drain, Suction - Swing Handle	
			Inlet, Front, Valve - Jamesbury 5.00"	
			Inlet, Front, Plumbing - Black Iron Pipe	
265	0762727		Control, Front Inlet, Akron 9327 Elec Controller, w/Override, PUC	1
266	0737987		Valve, Relief Intake, Front Inlet, TFT	1
			Pressure Setting - 150 psig	
267	0732444		Swivel, Front Inlet, 4.00" to 6.00", w/Drain	1
			Inlet, Size - 6.00" inlet	
			Inlet Bleeder - Quarter-Turn Style Bleeder	
			Finish, Front Inlet Elbow/Adapter - Chrome	
268	0004788		Cap, Front Inlet, Long Handle, VLH	1
269	0092569		No Rear Inlet (Large Dia) Requested	1
270	0064116		No Rear Inlet Actuation Required	1
271	0092696		Not Required, Cap, Rear Inlet	1
272	0009648		No Rear Intake Relief Valve Required on Rear Inlet	1
273	0092568		No Rear Auxiliary Inlet Requested	1
274	0563738		Valve, .75" Bleeder, Aux. Side Inlet, Swing Handle	1
275	0520277		Tank to Pump, (1) 3.00" Valve, 4.00" Plumbing, PUC	1
276	0601686		Outlet, Tank Fill, 2.50", PUC	1
277	0766941		Control, Outlets, Swing Handle, Elec Right Outlets Akron 9335 w/Press Disp, PUC	1
278	0516755		Outlet, Left Side, 2.50" (2), PUC	1
279	0055095		Not Required, Elbow, Left Side Outlets, 2.50"	1
280	0766755		Outlet, Right Side, 3", (1), Electric Akron 9335 Controller, PUC	1
281	0021134		Not Required, Elbow, Right Side Outlets	1
282	0766992		Outlet, Right Side, 4" w/4" Valve, Akron 9335 Elec Controller, PUC	1

Line	Option	Type	Option Description	Qty
283	0527969		Cap, Large Dia Outlet, 4.00", IPO Elbow	1
284	0648906		Outlet, Front, 2.50" w/2.50" Plumbing	1
			Fitting, Outlet - 2.50" NST with 90 degree swivel	
			Drain, Front Outlet - Automatic	
			Location, Front, Single - top of left bumper	
285	0695061		Outlet, Rear, 2.50" w/3" Plumbing and Valve (1), Thru Tank, PUC	2
			Qty, Discharges - 02	
			Location, Outlet - c) one (1) each side	
286	0045091		Elbow, Rear Outlets, 45 Degree, 2.50" FNST x 2.50" MNST, VLH	1
287	0537394		Not Required, Outlet, Rear, Additional, PUC	1
288	0537395		Not Required, Elbow, Rear Outlets, Additional	1
289	0752097		Caps/Plugs for 1.00" to 3.00" Discharges/Inlets, Chain	1
290	0563739		Valve, 0.75" Bleeder, Discharges, Swing Handle	1
291	0516860		Outlet, 3.00" Deluge w/2.50" Valve, PUC	1
292	0563671		Monitor, Akron 3431 Hi-Riser- No Ground Base	1
			Monitor Finish - Painted	
293	0046968		Nozzle, Akron 2499, Quad Stacked Tips and 3488 Shaper	1
294	0005070		Deluge Mount, NPT	1
295	0750982		Crosslay Module, Full Width, Roll Up Doors, PUC	1
296	0750897		Doors, Crosslay, Roll-up Amdor, Each End, Full Height, PUC	1
			Color, Roll-up Door - AMDOR Painted to Match Lower Body	
			Latch, Roll-up Door - Non-Locking Liftbar	
			Door Guard - Drip Pan Not Required	
297	0747660		Lights, Crosslay Compt, Forward LED, 2Lts	1
298	0750916		Crosslays, (2) 1.50", W/Poly Trays, PUC	1
			Crosslay/Deadlay/Speedlay Capacity 1 - 200' of 1.75" double jacket hose	
299	0750900		Crosslay, (1) 2.50", W/Poly Trays, PUC	1
			Crosslay/Deadlay/Speedlay Capacity 1 - 200' of 2.50" double jacket hose	
300	0729271		Tray(s), Poly, Additional, Crosslays, PUC	1
			Qty, - 1	
			Fill in Blank - 200' of 1.75"	
301	0676021		Foam Sys, Husky 3, Single Agent, PUC, Multi Select Feature	1
			Discharge, Foam Locations - Crosslay Lower Rear and Crosslay Lower	
			Front	
302	0012126		Not Required, CAF Compressor	1
303	0592527		Refill, Foam Tank, Integral, Husky 3	1
304	0031896		Demonstration, Foam System, Dealer Provided	1
305	0530519		Foam Cell, 30 Gallon, Not Reducing, PUC	1
			Type of Foam - Class "A"	
			Foam, Brand Name - phos-check	
306	0697589		Drain, 1.00", Foam Tank #1, Husky 3 Foam System, Quarter Turn	1
307	0091079		Not Required, Foam Tank #2	1
308	0091112		Not Required, Foam Tank #2 Drain	1
309	0746447		Approval Dwg, All Pump Panel(s), Includes Color And Label Tags	1
			Num Of Truck(s) or Sim Unit, ALL Pump Pnl, Dwg - 01	
310	0032479		Pump Panel Configuration, Control Zone	1
311	0516975		Material, Pump Panels, Operators Brushed Stainless, Sides Brushed Stainless, PUC	1
312	0516978		Pump and Plumbing Access, Simple Tilt Service, PUC	1
313	0618458		Light, Pump Compt, W/in 3SC0CDCR LED White, PUC	1
			Qty, - 01	
314	0516983		Gauges, Engine, Included With Pierce Pressure Controller, PUC	1
315	0005601		Throttle, Engine, Incl'd w/Press Controller	1
316	0739224		Indicator Light @ Pump Panel, Throttle Ready, Incl w/Pressure Gov/Throttle,Green	1
317	0549333		Indicators, Engine, Included with Pressure Controller	1
318	0511078		Gauges, 4.00" Master, Class 1, 30"-0-600psi	1
319	0511100		Gauge, 2.00" Pressure, Class 1, 30"-0-400psi	1
320	0536428		Gauge, Water Level, Pierce, In pressure Controller	1
321	0062992		Gauge, Foam Level, (1) Tank, Class 1, GAAAR 5lt	1
322	0653081		Light, Pump Operator & Panel, Side Ctrl, PUC, 60354C LED Cab & LED OH Chr Cvr	1
323	0643655		Air Horns, (2) Grover, Stutter Tone, 2040 Rect, Below Bumper	1
324	0606834		Location, Air Horns, Bumper, Each Side, Outside Frame, Inboard (Pos #2 & #6)	1

Line	Option	Type	Option Description	Qty
325	0757092		Control, Air Horn, Multi Select	1
326	0757076		Control, Air Horn, Lanyard, RS Lanyard - Nylon covered cable	1
327	0757077		Control, Air Horn, Lanyard, LS Lanyard - Nylon covered cable	1
328	0525667		Siren, Wln 295SLSA1, 100 or 200 Watt	1
329	0692039		Location, Electronic Siren, Center Console	1
330	0748306		Control, Elec Siren, Multi Select	1
331	0748297		Control, Elec Siren, Horn Ring	1
332	0601306		Speaker, (1) Wln, SA315P, w/Pierce Polished Stainless Steel Grille, 100 watt Connection, Speaker - siren head	1
333	0601555		Location, Speaker, Frt Bumper, Recessed, Left Side, Outside Frame,Outbrd (Pos 7)	1
334	0895310		Siren, Federal Q2B Finish, Q2B Siren - Chrome	1
335	0006097		Location of Siren, Recessed in Bumper Location, Siren, Mech - b) right	1
336	0748305		Control, Mech Siren, Multi Select	1
337	0895055		Control Mech Siren, Ft Sw RS, Interlock Control, Interlocks - Prk Brk Released	1
338	0895056		Control Mech Siren, Ft Sw LS, Interlock Control, Interlocks - Prk Brk Released	1
339	0734674		Sw, Siren Brake, Mom Rocker, Red Outline, RS Overhead Sw Pnl, Mux	1
340	0735899		Sw, Siren Brake, Mom Rocker, Red Outline, LS Overhead Sw Pnl, Mux	1
341	0746353		Not Required, Warning Lights Intensity	1
342	0723838	SP	Lightbar, Wln, Freedom IV-*, 1-44", 2-21.5", RWWRR RRRWRRWRRR RRWWR, 30 Deg Filter, Whl Freedom Ltbrs - No Filters	1
343	0016380		No Additional Lights Req'd, Side Zone Upper	1
344	0540384		Lights, Front Zone, Wln M6*C LED, Clear Lens, in Common Bzl Color, Lt DS Front - Red Color, Lt PS Front - Red	1
345	0653937		Flasher, Headlight Alternating	1
346	0540692		Headlt flash deactivation - a)w/high beam Lights, Side Zone Lower, Wln M6*C LED, Clear Lens, 3pr, Ovr 25 Location, Lights Front Side - b)each side bumper Color, Lt Side Front - Red Color, Lt Side Middle - Red Color, Lt Side Rear - Red Location, Lights Mid Side - Over Front Wheels - Centered Location, Lights Rear Side - Centered Above Rear Wheels	1
347	0564655		Lights, Rear Zone Lower, Wln M6*C LED, Clear Lens, For Tail Lt Housing Color, Lt DS Rear - r) DS Rear Lt Red Color, Lt PS Rear - r) PS Rear Lt Red	1
348	0541152		Lights, Rear/Side Up Zone, Wln M6*C LED, Clear Lens 4lts Flange Kit, 2pr - w/with a flange Color, Lt, Side Rear Upper DS - Red Color, Lt, Side Rear Upper PS - Red Color, Lt, Rear Upper DS - Red Color, Lt, Rear Upper PS - Red	1
349	0006551		Not Required, Lights, Rear Upper Zone Blocking	1
350	0590000		No Hose Bed Warn Light Brackets Req'd, Lights Mtd on Hatch/Body Compts, PUC	1
351	0784441		Inverter, Xantrex PROsine 806-1802, 1800W 120V AC 1350W Location, Inverter - Behind drivers seat	1
352	0742459	SP	Light Twr, W-B Pow NS4.5-600 WHL, 4-PCP2 Lts, 12VDC to 24VDC Converter Cld 15' Detector, AC Lt Tower - n) Not Include AC Detector Color, Tower, Wib - Black Paint	1
353	0664468		Location, Light Tower, Front Hose Bed	1
354	0617738		Controller, Light Tower, W-B, Wired Handheld, E-STOP Pow, Pow X, Vrt	1
355	0664791		Location, Light Tower Controller, Driver's Side Front Body Compartment	1
356	0780360		Receptacle Strip, 20A 120V 6-Place, Interior Cab Qty, - 1 Location 1 - Inside EMS cabinet AC Power Source - Shoreline to Inverter Internal Transfer Sw	1

Line	Option	Type	Option Description	Qty
357	0779707		Receptacle Strip, 20A 120V 6-Place, Interior Body Qty, - 03 Location 1 - RS1, LS1, LS3 AC Power Source - Shoreline to Inverter Internal Transfer Sw	3
358	0519934		Not Required, Brand, Hydraulic Tool System	1
359	0649753		Not Required, PTO Driven Hydraulic Tool System	1
360	0007150		Bag of Nuts and Bolts Qty, Bag Nuts and Bolts - 1	1
361	0602516		NFPA Required Loose Equipment, Pumper, NFPA 2016, Provided by Fire Department	1
362	0610099		Soft Suction Hose, Provided by Fire Department, Pumper ULC Classification	1
363	0602389		Strainer, Provided by Dealer, Pumper NFPA 2016 Classification	1
364	0602538		Extinguisher, Dry Chemical, Pumper NFPA 2016 Class, Provided by Fire Department	1
365	0602360		Extinguisher, 2.5 Gal. Pressurized Water, Pumper NFPA 2016, Provided by Fire Dept	1
366	0602679		Axe, Flathead, Pumper NFPA 2016 Classification, Provided by Fire Department	1
367	0602667		Axe, Pickhead, Pumper NFPA 2016 Classification, Provided by Fire Department	1
368	0741569		Paint Process / Environmental Requirements, Appleton	1
369	0709566		Paint, Two-Tone Color, Enforcer Paint Color, Upper Area, Predefined - #101 Black Shield, Cab - Standard Shield Paint Color, Lower Area, Predefined - #90 Red Paint Break, Cab - Standard Two-Tone Cab Break	1
370	0709833		Paint, Two-Tone Color, Body Paint Break, Body - Above Body Compt Doors Paint, Lower Body - Match Cab Lower Paint, Upper Body - Match Cab Roof	1
371	0636525		Coating, Chassis Frame Assy, Hot Dip Galvanized Paint Color, Frame Assembly, Predefined - Gloss Black	1
372	0693797		No Paint Required, Aluminum Front Wheels	1
373	0693792		No Paint Required, Aluminum Rear Wheels	1
374	0733739		Paint, Axle Hubs Paint, Axle Hub - Black #101	1
375	0788021		Coating, Hot Dip Galvanized, Water Tank Cradle, Pumper, Tankers	1
376	0662269		Coating, Hot Dip Galvanized, Body Substructure, Pumper, Tankers	1
377	0594533		Paint, Grille, Mesh Only, AXT/Vel/Imp/DCF/SFR/Enf Color, Paint - Black	1
378	0007234		Compartment, Unpainted, D/A Finished	1
379	0544087		Reflective Band, 6" Color, Reflect Band - A - e) black	1
380	0007356		Reflective across Cab Face	1
381	0593732		Stripe, Chevron, Rear, Diamond Grade, Pumper, PUC Color, Rear Chevron DG - fluorescent yellow green	1
382	0027341		Jog, In Reflective Stripe, Single or Multiple Qty, - 1	1
383	0679882		Stripe, Reflective Outline Above & Below Reflective Band	1
384	0656751	SP	Stripe, Reflective, Diamond Grade Chevron, 1 Color and Paint, On Front Bumper Size, Chevron Striping - 06 Color, Reflect Chev - A - r) red diamond grade	1
385	0552453		Stripe, Reflective, Chevron, Cab and Crew Cab Doors Interior, Diamond Grade Color, Reflect Band - A - s) white diamond grade Size, Chevron Striping - 06 Color, Reflect Chev - A - v) white diamond grade	1
386	0680372		Stripe, Gold Leaf, Cab Sides, IPO Chrome Molding	1
387	0027372		Lettering Specifications, (GOLD STAR Process)	1
388	0686434		Lettering, Gold Leaf, 3.00", (21-40) Outline, Lettering - Outline and Shade	1
389	0686235		Lettering, Gold Leaf, 5.00", (1-20) Outline, Lettering - Outline and Shade	1
390	0686084		Lettering, Reflective, 3.00", Each Qty, Lettering - 06 Outline, Lettering - No Outline or Shade	6

Line	Option	Type	Option Description	Qty
391	0685993		Lettering, Reflective, 10.00", Each	4
			Qty, Lettering - 04	
			Outline, Lettering - Outline and Shade	
392	0686221		Lettering, Gold Leaf, 7.00", Each	8
			Qty, Lettering - 08	
			Outline, Lettering - Outline and Shade	
393	0683997		Lettering, Vinyl, 18.00", Each	3
			Qty, Lettering - 03	
			Outline, Lettering - No Outline or Shade	
394	0686202		Lettering, Gold Leaf, 10.00", Each	18
			Qty, Lettering - 18	
			Outline, Lettering - Outline and Shade	
395	0686018		Lettering, Reflective, 5.00", Each	6
			Qty, Lettering - 06	
			Outline, Lettering - Outline and Shade	
396	0056505		Emblem, "Honoring America's Bravest" w/Helmet, Color Image, Std, Pair	1
			Qty, - 1	
			Location, Emblem - DS and PS crew cab doors upper windows	
397	0641311		Emblem, Dept. Patch, Gold Leaf, 15"-17", Each	2
			Qty, - 02	
			Location, Emblem - Cab doors	
398	0769765		Lettering, Numerals, Grille, Painted w/ Outline (2)	1
399	0599008		Rust Proof/Undercoat, Custom Chassis	1
			Color, Undercoating - Black	
400	0025070		Corrosion Prevention Treatment, ECK, Dissimilar Metal	1
401	0635769		E-Coat, Under Body/Chassis Component Package, PUC	1
			Paint Color, E-Coat - Black	
402	0631674		E-Coat, TAK-4 Components, Front Axle, Black	1
403	0002838		Undercoating, Cab & Body, Ziebart	1
404	0772003		Manual, Fire Apparatus Parts, USB Flash Drive, Custom	1
			Qty, - 01	
405	0772037		Manual, Chassis Service, USB Flash Drive, Custom	1
			Qty, - 01	
406	0773381		Manual, Chassis Operation, (1) USB Flash Drive, Custom	1
407	0030008		Warranty, Basic, 1 Year, Apparatus, WA0008	1
408	0696698		Warranty, Engine, Cummins, 5 Year, WA0181	1
409	0684953		Warranty, Steering Gear, Sheppard M110, 3 Year WA0201	1
410	0596017		Warranty, Frame, 50 Year, Custom Chassis, WA0013	1
411	0595698		Warranty, Axle, 3 Year, TAK-4, WA0050	1
412	0733306		Warranty, Single Axle, 5 Year, Meritor, General Service, WA0384	1
413	0652758		Warranty, ABS Brake System, 3 Year, Meritor Wabco, WA0232	1
414	0019914		Warranty, Structure, 10 Year, Custom Cab, WA0012	1
415	0744240		Warranty, Paint, 10 Year, Cab, Pro-Rate, WA0055	1
416	0524627		Warranty, Electronics, 5 Year, MUX, WA0014	1
417	0695416		Warranty, Pierce Camera System, WA0188	1
418	0647720		Warranty, Pierce LED Strip Lights, WA0203	1
419	0046369		Warranty, 5-year EVS Transmission, Standard Custom, WA0187	1
420	0685945		Warranty, Transmission Cooler, WA0216	1
421	0688798		Warranty, Water Tank, Lifetime, UPF, Poly Tank, WA0195	1
422	0596025		Warranty, Structure, 10 Year, Body, WA0009	1
423	0693126		Warranty, AMDOR, Roll-up Door, 10 Year/5 Year Painted, WA0185	1
424	0516693		Warranty, Pump, Pierce, PUC, 6 Year Parts, 1 Year Labor, WA0039	1
425	0648675		Warranty, 10 Year S/S Pumbing, WA0035	1
426	0657990		Warranty, Foam System, Husky 3, WA0231	1
427	0595820		Warranty, Paint, 10 Year, Body, Pro-Rate, WA0057	1
428	0595421		Warranty, Goldstar, 3 Year, Apparatus, WA0018	1
429	0683627		Certification, Vehicle Stability, CD0156	1
430	0736243		Certification, Engine Installation, Enforcer, Cummins X12, 2021	1
431	0686786		Certification, Power Steering, CD0098	1
432	0631980		Certification, Cab Integrity, Saber FR/Enforcer, CD0130	1
433	0631973		Certification, Cab Door Durability, Saber FR/Enforcer, CD0137	1
434	0631978		Certification, Windshield Wiper Durability, Saber FR/Enforcer, CD0132	1

Line	Option	Type	Option Description	Qty
435	0631974		Certification, Electric Window Durability, Saber FR/Enforcer, CD0133	1
436	0631977		Certification, Seat Belt Anchors and Mounting, Saber FR/Enforcer, CD0134	1
437	0735949		Certification, Cab HVAC System Performance, SFR/Enf, CD0165/CD0167/CD0174/CD0175	1
438	0545073		Amp Draw Report, NFPA Current Edition	1
439	0002758		Amp Draw, NFPA/ULC Radio Allowance	1
440	0799248		Appleton/Florida BTO	1
441	0000048		PUMPER/TANKER, 3rd Gen	1
442	0000012		PIERCE CHASSIS	1
443	0004713		ENGINE, OTHER	1
444	0046396		EVS 4000 Series TRANSMISSION	1
445	0520324		PIERCE PUMP, PUC	1
446	0020009		POLY TANK	1
447	0028048		FOAM SYSTEM	1
448	0020006		SIDE CONTROL	1
449	0020007		AKRON VALVES	1
450	0020014		FRONT SUCTION	1
451	0020015		ABS SYSTEM	1
452	0658751		PUMPER BASE	1



This purchase agreement (together with all attachments referenced herein, collectively, the "Agreement"), made and entered into by and between Atlantic Emergency Solutions, Inc., a Virginia corporation ("Atlantic"), and Richfield Fire Department ("Customer") is effective on the last signature date set forth on the signature lines below (the "Effective Date").

1. Purchase and Payment. Customer agrees to purchase and Atlantic agrees to sell to Customer the fire apparatus (and any associated equipment) furnished by Atlantic to Customer (hereinafter referred to, collectively, to as the "Apparatus") as more fully described in the specifications attached hereto as Exhibit A (the "Specifications") and incorporated herein for the total purchase price of \$822,452.06 USD (the "Purchase Price"). Payment shall be made as set forth on Exhibit A. In the event of a conflict between the Specifications and any request for proposal, request for bid, or other Customer provided or drafted documents, the Specifications shall control.

2. Changes to Specifications. If, subsequent to the Effective Date of this Agreement: 1) the manufacturer of the Apparatus (or a manufacturer of a component therein) makes design and/or production changes, including, but not limited to future drivetrain upgrades (such as engine, transmission or axle upgrades) ("Manufacturer Modifications"); or 2) design or production changes are made to the Apparatus to comply with any applicable government regulation (such as the Federal Motor Vehicle Safety Standards or the Environmental Protection Agency Emissions Standards) or industry standards (such as those adopted by the National Fire Protection Association) (cumulatively referred to hereinafter as "Compliance Modifications"), and if there is an increase in costs to Atlantic as a result of Manufacturer Modifications or Compliance Modifications, the Purchase Price shall be automatically adjusted to reimburse Atlantic for said costs. Atlantic shall make reasonable efforts to advise the Customer of such changes within a reasonable time and provide documentation to support any changes in price to Customer upon request. In addition, Customer and Atlantic may agree to make changes to the Specifications, but any such changes must be by written change order signed by Customer and Atlantic ("Change Order"). However, in the case of Manufacturer Modifications or Compliance Modifications resulting in additional costs to Atlantic, Atlantic may execute Changes Orders without joinder of Customer, and any such Change Orders shall be binding on Customer. Atlantic shall not be liable to Customer for any delay in performance or delivery arising from any Change Order.

3. Cancellation or Default by Customer. In the event that Customer cancels its order or otherwise breaches this Agreement by reason of non-payment or otherwise prior to delivery, Atlantic shall be permitted to retain possession and ownership of the Apparatus and shall not be obligated to deliver same to Customer. In addition, Atlantic and Customer agree that if such Customer breach were to occur, it would be difficult to determine actual damages to Atlantic. Customer acknowledges and agrees that: 1) the Apparatus is a unique and highly customized vehicle, made specifically for Customer; 2) Atlantic has invested a significant effort and incurred significant expense in the design and engineering of the Apparatus for Customer; and 3) due to its unique and customized nature, resale of the Apparatus will be difficult to a third-party without a significant loss to Atlantic. As a result, Atlantic and Customer agree that Thirty Percent (30%) of the Purchase Price is a reasonable estimate of the damages that would be incurred by Atlantic if a breach occurred in the future and shall be due and payable to Atlantic by Customer in the case of such a breach. Customer and Atlantic agree that this amount of liquidated damages is fair and reasonable and would not constitute a penalty to Customer. In the event of non-payment by Customer subsequent to delivery, Atlantic may recover full possession of the Apparatus by any lawful means, and shall be entitled to any additional damages sustained by Atlantic as a result of any diminution of value of the Apparatus resulting from use or damage thereto to the extent that such damages exceed the liquidated damages above. Atlantic shall have and retain a purchase money security interest in the Apparatus to secure payment of the Purchase Price and all other sums owed by Customer to Atlantic. In the event of nonpayment by Customer of any debt, obligation or liability now or hereafter incurred or owing by Customer to Atlantic, Atlantic shall have and may exercise all rights and remedies of a secured party under the Uniform Commercial Code Secured Transactions (UCC) provisions as adopted by the Commonwealth of Virginia. In addition, Atlantic shall be entitled to recovery from Customer all of Atlantic's reasonable attorneys' fees and all costs of collection resulting from non-payment or other non-performance hereunder by Customer.

4. Delivery, Inspection and Acceptance. (a) Delivery. It is estimated that the Apparatus shall be ready for delivery F.O.B. (AES McConnellsville, Ohio Regional service center) within 14.5 months from the Effective Date of this Agreement, subject to delays caused by the Customer, delays caused by Change Order(s) or delays provided for in Paragraph 10 below. The stated delivery date is an estimate only and not guaranteed. Atlantic shall advise Customer when the Apparatus is ready for delivery. (b) Inspection and Acceptance. Upon delivery, Customer shall have fifteen (15) days within which to inspect the Apparatus for substantial conformance to the Specifications. In the event of substantial and material non-conformance to the Specifications, Customer shall furnish Atlantic with written notice sufficient to permit Atlantic to evaluate such non-conformance ("Notice of

Defect”) within said fifteen (15) day period. If the Apparatus is not in substantial and material conformance with the Specifications, any material and substantial defects shall be remedied by Atlantic within thirty (30) days from the Notice of Defect. In the event Atlantic does not receive a Notice of Defect within fifteen (15) days of Delivery, the Apparatus shall be deemed to be in conformance with the Specifications and fully accepted by Customer.

5. Notice. Any required or permitted notices hereunder must be given in writing at the address of each party set forth below, or to such other address as either party may substitute by written notice to the other in the manner contemplated herein, by one of the following methods: 1) hand delivery; 2) registered, express, or certified mail, postage prepaid, return receipt requested; or 3) nationally-recognized commercial overnight courier.

Atlantic Emergency Solutions, Inc.  
Director of Order Management  
12351 Randolph Ridge Lane  
Manassas, Virginia 20109

Customer  
Richfield Fire Department  
4410 West Streetsboro Road  
Richfield, Ohio 44286

6. Warranty. Any applicable warranty or warranties are attached hereto as **Exhibit B** (collectively, the “Warranty”) and made a part hereof. Any additional warranties must be expressly approved in writing by Atlantic.

7. Disclaimer of Additional Warranties. OTHER THAN AS EXPRESSLY SET FORTH IN PARAGRAPH 6 ABOVE AND **EXHIBIT B** TO THIS AGREEMENT, ATLANTIC (AS WELL AS ITS SUPPLIERS), THEIR PARENT COMPANIES, AFFILIATES, SUBSIDIARIES, LICENSORS OR SUPPLIERS, THEIR RESPECTIVE OFFICERS, DIRECTORS, EMPLOYEES, SHAREHOLDERS, AGENTS AND REPRESENTATIVES MAKE NO WARRANTIES, WRITTEN OR ORAL, EXPRESS OR IMPLIED, EITHER IN FACT OR BY OPERATION OF LAW, BY STATUTE OR OTHERWISE. FURTHERMORE, ANY OTHER WARRANTIES, WHETHER WRITTEN OR ORAL, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY OF QUALITY, IMPLIED WARRANTY OF MERCHANTABILITY, IMPLIED WARRANTY AGAINST INFRINGEMENT, AND IMPLIED WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE, ARE EXPRESSLY EXCLUDED AND DISCLAIMED. CUSTOMER FURTHER ACKNOWLEDGES THAT STATEMENTS MADE BY SALES REPRESENTATIVES OR IN PROMOTIONAL MATERIALS DO NOT CONSTITUTE WARRANTIES.

8. Exclusions of Incidental and Consequential Damages. IN NO EVENT SHALL ATLANTIC (OR ITS SUPPLIERS) BE LIABLE TO CUSTOMER FOR ANY CONSEQUENTIAL OR INCIDENTAL DAMAGES INCURRED BY CUSTOMER (INCLUDING, BUT NOT LIMITED TO LOSS OF USE AND/OR LOST PROFITS) AS A RESULT OF ANY BREACH OF THIS AGREEMENT, WHETHER ARISING UNDER THEORIES OF BREACH OF CONTRACT, STRICT LIABILITY, STATUTORY LIABILITY, BREACH OF EXPRESS OR IMPLIED WARRANTY, NEGLIGENCE, OR OTHERWISE.

9. Indemnity. To the extent permitted by law, Customer shall indemnify, defend and hold harmless Atlantic and all of its officers, directors, employees, representatives, dealers, agents and subcontractors, from and against any and all claims, costs, judgments, liability, loss, damage, attorneys’ fees or expenses of any kind or nature whatsoever (including, but without limitation, relating to personal injury or death) caused by, resulting from, arising out of or occurring directly or indirectly in connection with Customer’s purchase, operation, ownership, installation or use of any items (including, without limitation, the Apparatus) sold or supplied by Atlantic, except only to the extent caused by the sole negligence of Atlantic.

10. Force Majeure. Atlantic shall not be responsible nor deemed to be in default on account of delays in performance due to causes which are beyond Atlantic’s control which make Atlantic’s performance impracticable, including but not limited to, wars (declared or not), terrorism, insurrections, strikes, riots, fires, hurricanes, storms, floods, earthquakes, other acts of nature, acts of God, explosions, accidents or mechanical breakdown, acts of sabotage or vandalism, any acts of government authority, delays or failures in transportation, inability to obtain necessary labor supplies, inability to utilize manufacturing facilities, regulations or orders affecting materials, equipment, facilities or completed products, failure to obtain any required license or certificates, epidemics, quarantine restrictions, failure of vendors to perform their contracts or labor troubles causing cessation, slowdown, or interruption of work.

11. Manufacturer’s Statement of Origin. It is agreed that the manufacturer’s statement of origin (“MSO”) for the Apparatus covered by this Agreement shall remain in the possession of Atlantic until the entire Purchase Price has been paid. If more than one Apparatus is covered by this Agreement, then the MSO for each individual Apparatus shall remain in the possession of Atlantic until the Purchase Price for that Apparatus has been paid in full.

12. Assignment. Neither party may assign its rights and obligations under this Agreement unless it has obtained the prior written approval of the other party.

13. Severability. If any provision, or part hereof, of this Agreement shall be declared invalid by judicial determination or legislative action, only such provision, or part thereof, so declared invalid shall be affected, and all other provisions not consistent therewith or directly dependent thereon shall remain in force and effect.

14. Governing Law; Jurisdiction. Without regard to any conflict of law provisions, this Agreement is to be governed by and under the laws of the Commonwealth of Virginia. Atlantic and Customer further agree that the York County Circuit Court located in the Commonwealth of Virginia shall be the exclusive venue in the event of any litigation relating to this Agreement and/or the Apparatus.

15. Entire Agreement and Amendments. This Agreement constitutes the sole and only agreement between Atlantic and Customer relating to the Apparatus, and supersedes any prior understanding or written or oral agreements between the parties relating to the Apparatus. No amendment, modification or alteration of the terms hereof shall be binding unless the same is executed in writing, dated subsequent to the date hereof and duly executed by Atlantic and Customer.

16. Waiver. The waiver of any breach of any term or provision hereof by either party hereto shall not be considered a waiver of any other term or provision or of any other or later breach of this Agreement, regardless of the nature of such subsequent event or breach, unless such waiver is expressly stated in writing by an authorized representative of the waiving party.

17. Captions; Counterparts. The captions and paragraph numbers appearing herein are inserted only as a matter of convenience and are not intended to define, limit, construe or describe the scope or intent of any paragraph, nor to in any way affect this Agreement or the interpretation or application thereof. This Agreement may be executed in duplicate counterparts which, when taken together, shall constitute one and the same Agreement.

Accepted and agreed to by:

**ATLANTIC EMERGENCY SOLUTIONS, INC.**

**CUSTOMER: Richfield Fire Department**

Name: \_\_\_\_\_

Name: \_\_\_\_\_

Title: \_\_\_\_\_

Title: \_\_\_\_\_

Date: \_\_\_\_\_

Date: \_\_\_\_\_

**EXHIBIT A**

**SPECIFICATIONS AND  
PURCHASE DETAIL FORM**  
Atlantic Emergency Solutions, Inc.  
Director of Order Management  
12351 Randolph Ridge Lane  
Manassas, Virginia 20109  
Fax (703) 257-2572

Date: December 2, 2021

Customer Name: Richfield Fire Department

Quantity	Chassis Type	Body Type	Price per Unit
1	Pierce Enforcer	Pumper	\$822,452.06
			\$
			\$
			\$
			\$

Payment Terms: Prepaid within 30 days of contract signing or paid in full at the time of delivery. \_\_\_\_\_

If Richfield Fire Department was to prepay the truck in full within 30 days of contract signing. The prepayment discount would be \$27,298.00 for a new sale price of \$795,154.06

Total includes: One trip for three to Appleton Wisconsin for prebuild and final inspection, Weekly production photos once production begins, Source Well fees of \$2,000, Sensible Products allowance \$13,170.00

Specifications: A complete copy of the applicable Specifications is attached hereto and incorporated herein by this reference.

Training Requirements: Training would be provided once the truck is in service \_\_\_\_\_

If any portion of the Purchase Price is to be made subsequent to delivery of the Apparatus to Customer and it is necessary for Customer to obtain third-party financing for said payment, Customer shall provide Atlantic proof of the availability of financing at the time of the execution of this Agreement. All taxes, excises and levies that Atlantic may be required to pay or collect by reason of any present or future law or by any governmental authority based upon the sale, purchase, delivery, storage, processing, use, consumption, or transportation of the Apparatus sold by Atlantic to Customer shall be added to the Purchase Price and paid by Customer. All delivery prices or prices with freight allowance are based upon prevailing freight rates and, in the event of any increase or decrease in such rates, the Purchase Price will be increased or decreased accordingly. Delinquent payments shall be subject to a carrying charge equal to one and one-half percent (1.5%) per month or, if such amount exceeds that permitted under the law, then the maximum lesser percentage amount which is permitted by law.

**EXHIBIT B**

**WARRANTY**

**(A complete copy of any and all applicable warranties is attached  
hereto and incorporated herein by this reference.)**