

A RESOLUTION AUTHORIZING AND DIRECTING THE MAYOR AND THE FINANCE DIRECTOR TO PURCHASE ONE NEW HOLLAND MODEL POWERSTAR 75 TRACTOR FROM AKRON TRACTOR AND EQUIPMENT, INC. (SOURCEWELL CONTRACT NO. 082923-CNH-2); AND DECLARING AN EMERGENCY

WHEREAS, this Council desires to authorize the Mayor and Finance Director to purchase one New Holland Model Powerstar 75 Tractor from Akron Tractor and Equipment, Inc. in an amount not to exceed \$128,475.00, pursuant to the quote of Akron Tractor and Equipment, Inc., attached as Exhibit A (Sourcewell Contract No. 082923-CNH-2);

WHEREAS, the New Holland Model Powerstar 75 Tractor will be ordered and purchased as part of the 2026 Capital Budget.

NOW, THEREFORE, BE IT RESOLVED by the Council of the Village of Richfield, County of Summit, State of Ohio that:

SECTION 1. The Mayor and Finance Director are hereby authorized to purchase one New Holland Model Powerstar 75 Tractor from Akron Tractor and Equipment, Inc. in an amount not to exceed \$128,475.00 (Sourcewell Contract No. 082923-CNH-2) in accordance with the proposal attached hereto as Exhibit A.

SECTION 2. Because this purchase is made through a governmental cooperative purchasing program (Sourcewell), pursuant to Section 141.03(f)(7) of the Codified Ordinances of the Village of Richfield, Council hereby waives all competitive bidding requirements that ordinarily apply to such transactions.

SECTION 3. It is found and determined that all formal actions of this Council concerning and relating to the adoption of this Resolution were adopted in an open meeting of this Council, and that all deliberations of this Council and of any of its committees that resulted in such formal action, were in meetings open to the public, in compliance with all legal requirements including Section 121.22 of the Ohio Revised Code.

SECTION 4. This Resolution is hereby declared to be an emergency measure for the reason that it is immediately necessary to execute the purchase agreement; wherefore, this Resolution shall take immediate effect, provided that it receives the requisite number of votes needed to pass as an emergency measure; otherwise, it shall take effect at the earliest date allowed by law.

PASSED: 1/20/26



President of Council



Mayor

Dated: 1/20/2026

ATTEST:



Clerk of Council

AKRON TRACTOR & EQUIPMENT, INC.

1309 Collier Rd, Akron, Ohio 44320

Telephone: 800-821-2785 or 330-836-0237

Cell: 440-773-5800 Email: craig@akrontractor.com

December 5, 2025

Village of Richfield
4410 W. Streetsboro Road
Richfield, Ohio 44286

We are quoting you the following equipment under the Sourcewell New Holland Contract Number 082923-CNH-2, and the Alamo quote is on the Sourcewell Alamo Contract Number AL 032525-AGI. Your Sourcewell Member Number is 39044.

One New Holland Model Powerstar 75 Tractor, 74hp. 4-Cylinder Turbocharged Diesel Engine, Tier 4 Final, Deluxe Cab with Hi-Visibility Panel, Openable Side Windows, Adjustable Tilt Wheel, Fabric Air Suspension Seat with 10 Degree Swivel, Radio, Heater and AC, Instructor Seat, External Mirrors, 4WD Electro-Hydraulic Limited Slip Front Axle, 40 KPH (25 MPH) Ground Speed, 12X12 Power Shuttle Transmission, 11.2R24 R1W Front Tires, 16.9RX30, R1W Rear Tires, Two Rear Remote Valves, 540 RPM Hydraulic PTO, 3-Point Ground Control, 3-Point Lift-O-Matic Plus, Fuel Tank Protection, 12.5 GPM Implement Hydraulic Pump, Rear Diff Lock, and 3-Point Stabilizers & Flex Ends.

New Holland Sourcewell List Price	\$75,795.00
<u>21% Sourcewell Contract Discount</u>	<u>-\$15,917.00</u>
Subtotal	\$59,878.00
<u>New Holland Freight to Alamo, Prep, and Delivery</u>	<u>\$3,190.00</u>
New Holland Sourcewell Contract Price	\$63,068.00

One Alamo Model Right-Hand Interstater 88" Flail Mower with Course-Cut 4 oz. Knives, 88" Right-Clipped Foot Guard, Mounting Labor & Oil, 500lb. Wheel Weight, Mount Kit for the New Holland PS75 Tractor, and the Standard Specifications listed on the attached page.

Alamo Sourcewell List Price	\$55,199.00
<u>15% Sourcewell Contract Discount</u>	<u>-\$8,280.00</u>
Subtotal	\$46,919.00
<u>Factory Freight Alamo, Texas to Akron, Ohio</u>	<u>\$5,615.00</u>
Alamo Sourcewell Contract Price	\$52,534.00

AKRON TRACTOR & EQUIPMENT, INC.
1309 Collier Rd, Akron, Ohio 44320
Telephone: 800-821-2785 or 330-836-0237
Cell: 440-773-5800 Email: craig@akrontractor.com

Page 2

One Alamo Super Heavy Duty 88" Flail Mower 8.5" offset to right, 4-ounce coarse-cut knives, two lift chains, set-up fee, & the standard equip. listed on the attached sheet.

Sourcewell Contract Current List Price	\$14,046.00
15% Alamo Sourcewell Contract Discount	-\$2,388.00
<hr/>	
Subtotal	\$11,658.00
Alamo Factory Freight to Akron & Setup	\$1,215.00
<hr/>	
Total Alamo Sourcewell Contract Price	\$12,873.00

TOTAL PRICE PS75 4WD TRACTOR & ALAMO INTERSTATER 88" RH FLAIL MOWER, & SHD88 REAR FLAIL MOWER = \$128,475.00

Trade-In Allowance:

One used 2007 New Holland TN70 Tractor with 2wd, cab, Serial Number HJE085223, with Alamo Interstater 74" Right-Hand Flail Mower and Alamo Rear Mount 88" Rear Mount Flail Mower = -\$8,500.00

TOTAL PRICE PS75 TRACTOR & ALAMO INTERSTATER 88" RH MOWER, & SHD88 REAR MOWER, LESS TRADE-IN = \$119,975.00

Quote Good to 12/31/2025.

Delivery: PS75 & RH88 - In Stock, SHD88 60-90 Days.

Akron Tractor & Equipment, Inc.


Craig Gorsuch, Sales

POWERSTAR 75 US PRICE LIST

Standard Equipment

KEY SELLING POINTS:

-
- CommandArc™ ergonomically places most frequently used controls to operator's right
 - Ten repositionable vents for heating and air conditioning
 - 12x12 Transmission
 - Hydraulic shuttle lever
 - Full-size instructor seat
 - Hi Visibility Panel
 - Lift-O-Matic Plus
 - Tier 4B EPA emissions compliant
 - Factory Installed Loader

ENGINE: PowerStar 75

-
- | | |
|--|---------------------|
| • Engine MFG | FPT/New Holland |
| • Emissions Level | Tier 4B |
| • Gross Engine Power | 74 hp |
| • PTO horsepower @ 2300rpm | 61 hp |
| • Displacement | 207 cu. In. (3.4 L) |
| • Num. Cylinders | 4 |
| • Fuel System | |
| - Bosch Fuel Injection Pump | |
| • Aspiration Turbocharged/Aftercooled | |
| • Air Cleaner Type: Power Core | |
| • Air Cleaner Cartridge Size, diameter: 8" | |
| • Grid Heater Starting Aid | |
| • Fuel Sediment Filter with Water Sensor | |
| • Electric Engine Shutoff | |
| • Under Hood Muffler | |
| • Vertical Exhaust | |

EMISSIONS SYSTEM

-
- Tier 4B DOC + CEGR

FUEL CAPACITIES

-
- Diesel Fuel 23.8-gallon (90 L)
 - Protection Shield

TRANSMISSION

-
- Wet Clutch
 - LH Side Steering Column Shuttle Lever
 - 12 Forward / 12 Reverse Speeds
 - (4) Synchronized Gears
 - (3) Non-synchronized Ranges
 - Forward Reverse Power Shuttle
 - FWD - 25 mph (40 kph)
 - Speed varies with tire selection

AXLES
2WD HD FRONT AXLE

-
- Inverted U-section type
 - Adjustable Tread Width from 50.7 in. to 79.7 in.

4WD FRONT AXLE

- Electro-Hydraulic engagement
- Adjustable Tread Width from 60.8 in. to 76.6 in.

REAR AXLE

- Flange Type
- Adjustable Tread Width 52.2 in. to 76.0 in.

DIFFERENTIAL LOCK

- Mechanical Engagement

HYDRAULIC SYSTEM

-
- Open Center System
 - (2) Open Center Valves with detent
 - 2 Function mid mount valve and joystick
 - Dual Gear Pumps
 - Implement Pump: 12.9 gpm (48.9 L)
 - Steering Pump: 9.5 gpm (36.1 L)
 - Total Flow: 22.4 gpm (85 L)

**POWERSTAR 75
US PRICE LIST**

Standard Equipment

PTO

- Fully Independent 540 rpm
(1-3/8 in. diameter, 6 splines)
- Wet clutch
- Actuation: Servo-Assisted Hydraulic
PTO engagement
- Flip-up PTO Shaft Guard

HITCH

- 3-point Category II with flex lower links
and telescoping stabilizers
- Lift-O-Matic Plus rear hitch control
- ASAE Lift Capacity @ 24'' 3,664 lbs
(1,662 kg)
- Swinging Drawbar
- Mechanical Draft Control
- Upper Link Draft Sensing
- 3-Point Hitch Ground Control

STEERING/BRAKES

- Hydrostatic Power Steering
- Brakes
 - Oil Immersed acting on differential
shafts
 - Actuation: Hydraulical Girling Type
- Mechanical Parking Brake

ELECTRICAL

- (1) 800A cca Heavy-duty Battery
- Alternator: 120 amp
- 7-pin Outlet for trailer/implement 1
lighting and signals
- 4-pin Power Outlet (30 amp)
- 8 amp single pole
- 2 Auxiliary power sockets

LIGHTING

- (2) Front Halogen Headlights
- (4) Cab mounted work lights
- Turn Signals/Flashers/Rear Lights

INSTRUMENTATION

Analog Instrumentation with warning

- Lights for
 - Alternator
 - Oil Pressure
 - Fuel
 - PTO Engagement
 - Head Light High Beam
 - Low Fuel
 - Parking Brake
- Digital Speed Readout
- Gauges
 - Fuel Level
 - Engine Temperature
 - Tachometer
 - Hour Meter

OPERATOR PROTECTIVE STRUCTURE

- ROPS protected, flat deck platform:
 - Heat and Air Conditioning
 - Tinted windshield
 - Retractable Sun Screen
 - Front / Rear Wiper and Washer
 - (2) Doors with Locks
 - (2) External Mirrors
 - Openable Side Windows
 - Hinged Rear Window (fully opens)
- High Visibility Panel
- Steering Wheel - adjustable tilt
- Hand and Foot Throttle Controls
- Cloth Seat
 - Air Suspension
 - 10 Degrees of Swivel
 - Operator's Presence Sensor
 - Retractable Seat Belt
 - Arm Rests
- Instructor Seat
- Suspended pedals
- Radio, speakers, and antenna

POWERSTAR 75 US PRICE LIST

Standard Equipment**MISCELLANEOUS**

- Pivoting Engine Hood
- SMV Emblem
- Rear wheel weights
- Toolbox

WARRANTY

- New Holland Standard Warranty
Applies

LOADERS:~~655TL/710LU NON SELF-LEVELING~~

- Max. Lift Height @ pivot pin: 127.2"
- Dump Clearance: 94.4"
- Digging Depth: 6.4"
- Lift Capacity
 - Max Height @ 800mm: 2,478 LBS
 - 59" high @ 800mm: 3,080 LBS
- Breakout Force @ 800mm: 3,739 LBS
- Reach @ Max Lift Height: 39.5"
- Reach @ Ground Level: 90.7"
- Bucket Rollback Angle: 45 degrees
- Bucket Dump Angle: 60 degrees
- Skid Steer or Euro style bucket attach


ALAMO
INDUSTRIAL

Interstater



Interstater

Flail Mower System



The SHD Rear Mount

Adjustable cutting height to 6"
Available widths: 74", 88", 96"
Cutting capacity: 1"

Side Mount

Automatic wing shut-off in the raised position.
Adjustable cutting height to 6"
Grass and brush cutting capacity: 1"

Hydraulic System

Driven by the tractor's crankshaft.
Twin piston pumps power the cutter heads.
Front-mounted 13-gallon hydraulic tank.

The Alamo Interstater is the ultimate mowing machine. from right side 62" mowing all the way to dual wing 21' wide area options.

Top docks are made of strong 10-gauge steel while the end plates are 1/2" thick steel for the inboard and 5/16" thick steel for the outboard. The units have a 6" diameter full-length rear roller that is adjustable in height from 1/2" to 6", in 1/2" increments. This roller is adjustable in 1/2" increments. The full-length skid shoes are replaceable. The units are standard equipped with 3-ounce coarse-cut knives.

ALAMO
INDUSTRIAL

Alamo-Industrial.com | sales@alamo-industrial.com

Sourcwell - Contract No. 070821-AGI
Canoe Canada - Contract No. 070821-AGI
GSA - Contract No. GS-30F-0008S
Buy Board - Contract No. 611-20

©2022 Alamo Industrial or its affiliates. 1022 Alamo Group, Inc. All rights reserved. This information is intended to be of a general nature only; specifications are subject to change without notice as we continue to improve our products.
Warranty: One year limited parts and labor. Non-governmental buyers are subject to standard policy. Only genuine Alamo Industrial parts should be used for warranty replacement.

